Annual Index

Volume 70
1993

Subject

α-LINOLENIC,
acid, artificial, edible, geometrical isomers, linolenic acid-containing oils, 219
α-LINOLENIC ACID,
geometrical isomerization, heat-induced, individual isomers, 425
β′-TRIACYLGLYCEROL,
alkyl chain packing, atomic, force microscopy, 319
γ-ORYZANOL COMPONENTS,
rice bran oil, 301
λ-3 POLYUNSATURATED FATTY ACIDS,
determination, fish lipids, proton NMR, 225
ω3 FATTY ACIDS,
high resolution ^{13}C and ^{1}H NMR, white muscle, of atlantic salmon (*Salmo salar*), 971
1,3-DIVERNOLOYL GLYCEROL,
enzymatic synthesis, spectroscopic characterization, *Vernonia galamensis* seed oil, 129
1,3-SPECIFIC LIPOLYSIS,
immobilized, *Lesquerella fendleri* oil, reverse-micellar encapsulated enzymes, 1121
6-KETOCHOLESTANOL,
chicken meat, unirradiated and irradiated, 789
7,10-DIHYDROXY-8(*E*)-OCTADECENOIC ACID,
synthesis of, 519
8-METHYLETHOXYQUIN,
a possible replacement for, ethoxyquin, 931
9,15-LINOLEIC ACID,
triacylglycerol of, volatile compounds, 157
10-KETOSTEARIC ACID,
by, conversion of, oleic acid, staphylococcus species, to, 543
^{13}C NMR 1137,
epoxidized vegetable oils, natural epoxy, 1139

A

A LABORATORY STUDY OF THE PRESS EFFECT,
adsorptive bleaching, 831
ABSOLUTE VISCOSITY,
oil, regressional models, 1115
ACTIVE FILTER AIDS,
deep frying, oils, regeneration, 507
ACYL-COA ELONGASES,
Brassica napus L., developing rapeseed, solubilizatin, 1129
ADSORPTION ISOTHERMS,
in a concentrated, miscella system, sesame oil, 589
ADSORPTIVE BLEACHING,
a laboratory study of the press effect, 831
AFUEGA'L PITU CHEESE,
capillary gas chromatography, fat modification, 1035
ALCOHOL ETHER SULFATE,
life-cycle analysis of petrochemical and oleochemical origin, 1
ALCOHOL ETHOXYLATE,
life-cycle analysis of petrochemical and oleochemical origin, 1
effect of ethylene oxide distribution on properties of sulfosuccinates, 707
micellar solubilization of *n*-octane and *n*-octanol, 717
polarity as a function of EO distribution, 711
ALCOHOL EXTRACTION,
cottonseed, 207
ALCOHOL SULFATE,
life-cycle analysis of petrochemical and oleochemical origin, 1
ALKANOLS,
high-resolution gas chromatographic determination, in oils, olives, 919
ALKYL CHAIN PACKING,
β′-triacylglycerol, atomic, force microscopy, 319
ALKYLBENZENE SULFONATE,
biodegradation kinetics, 645
detergency in Mg-containing water, 723
influence of concentration and water hardness on foaming properties, 75
influence of water hardness on detergency, 79
life-cycle analysis, 1
ALMOND,
kernel oils, volatile compounds, 1101
ALUMINA-PILLARED ACID-ACTIVATED,
clays, chlorophyll adsorption, 241
AMIDES,
preparation from glycerides, 727
AMINES,
medium chainlength as cosurfactants, 69
ANALYSIS,
chemical errors, collaborative evaluation, gas chromatography, instrumental, of oils, 325
ANALYSIS,
of alkyldimethyl betaine, 97
of soap in sewage sludge, 667
of sodium isethionate in lye process streams, 733
of sodium lauroyl sarcosinate, 101
ANTIBACTERIAL ACTIVITY,
of *N*-acyl glucosamine derivatives, 17
of *N*-acyl-L-leucines, 23
n-alkyl 2-amino-2-deoxy-D-glucopyranoside hydrochloride, 17
N-(2-hydroxysubstituted phenoxy propyl)glycines, 109
ANTIOXIDANT ACTIVITY OF,
α-tocopherol, Mediterranean plant leaves, 807
extract, pea bean (*Phaseolus vulgaris* L.), 909
ANTIOXIDANT EFFECTS,
d-tocopherols, during microwave heating, in oils, 1989
ANTIOXIDANTS,
lipid, oregano flavonoids, 483
ANTIOXIDATIVE PROPERTIES,
methanolic extracts, peanut hulls, 383
APOMICTIC GUAYULE,
parent-offspring relationships, 1121
ARGENTATION,
analysis of, supercritical fluid chromatography, triacylglycerols, 939
ATOMIC,
β′-triacylglycerol, alkyl chain packing, force microscopy, 319
AUTOMATED,
canola, free fatty acids in, gas-liquid chromatographic method of measuring, 229
AUTOXIDATION,
bacterial urease, furan C-18 fatty acid methyl ester products, inhibition of, 501
AUTOXIDATION OF FATS,
kinetics, monounsaturated substrates, 1063
kinetics of, 249
AUTOXIDATION OF UNSATURATED TRIACYLGLYCEROLS,
high-performance size-exclusion chromatography, 779
AVOCADO OIL EXTRACTION,
technology, 821

AVOCADO OIL VARIETIES,
total sterol and tocopherol contents, unsaponifiable matter, 561

B

BACTERIAL UREASE,
autoxidation, furan C-18 fatty acid methyl ester products, inhibition of, 501
BETAINES,
analysis by potentiometric titration, 97
interaction with sodium dodecyl sulfate, 685
BILE SALTS,
mixed micelles with nonionics, 693
BIODEGRADATION,
of linear alkylbenzene sulfonates in the environment, 645
of polycarboxylates containing vinyl groups, 645
BIOSURFACTANTS,
enzymatic synthesis of alkyl glycoside fatty esters, 43
BIS-QUATERNARY AMMONIUM HALIDE SURFACTANTS,
physical and surface properties, synthesis, 37
BLEACHING,
degumming, *Lesquerella fendleri* seed oil, 579
BOVINE MILK FAT,
chiral columns, HPLC, positional distribution, short-chain fatty acids, 1177
BUILDERS,
performance and biodegradability of polycarboxylates containing vinyl alcohol groups, 659
BUTTER OIL,
acyl-exchange, lipase-mediated, reactions, substrate preferences, 393
fractionation, lipase-modified, triacylglycerols, 1203
BUTTER TEXTURE,
triglycerides, 1075
BUTTERFAT,
configurational, disaturated, monoenoic fatty acyl residues, monoenoic, triacylglycerols, triacylglycerols of, 1161
configurational, dimonoenoic, monoenoic fatty acyl residues, saturated, triacylglycerols, 1173
BUTTERFAT TRIACYLGLYCEROLS,
fatty acids, positional distribution, 169
BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY,
diglycerides, 343
enrichment of, in peanut oil, phospholipids from neutral lipids, 637
monoglycerides, 343

C

CANDIDA PARAPSILOSIS (ASHFORD) LANGERON AND TALICE,
lipase, peculiar properties of, 497
CANOLA,
acid compositions, frying stability of, modified fatty, oils, 983
automated, free fatty acids in, gas–liquid chromatographic method of measuring, 229
carbohydrase, cost evaluation, enzyme-aided, product quality, technology, 825
cost evaluation, enzyme-aided, processing of, product quality, technology, 825
cost evaluation, processing of, product quality, technology, two-stage, 825
enzymatic interesterification, lecithin–hexane reverse micelles, triolein with tripalmitin, 737
CANOLA GLOBULIN,
thermal gelation, 853
CANOLA OIL,
countercurrent, extraction, multi-stage hydrocyclone/stirred-tank system, 755
CANOLA OIL PROCESSING,
behavior of, chlorophyll derivatives, 837
CANOLA OIL SEDIMENT,
characterization, formation, 1009
phase transitions, 441
CANOLA OIL STABILITY,
chemical aspects of, chlorophyll breakdown products, 843
CANOLA OILS,
wax sediments, characterization of, 535
CANOLA/PALM OIL MIXTURES,
effect on the fluidity of the mixture, enzymatic modification of, 849
CAPILLARY GAS CHROMATOGRAPHY,
Afuega'l pitu cheese, fat modification, 1035
CAPILLARY SUPERCRITICAL FLUID,
analysis, chromatography, mass spectrometry, tocopherols, 349
CARBONYL COMPOUNDS,
determination of, in aqueous media, 881
CAROTENE,
adsorption of, by acid-treated rice hull ash, from, palm oil, 539
CASHEW NUT OIL,
composition, 1017
CASTOR OIL,
determination, edible, heat-abused, ^{13}C NMR oils, 1251
CELLULASE,
alkaline, in oily soil removal from interfiber space in cotton interior, 53
CHEMICAL ERRORS,
analysis, collaborative evaluation, gas chromatography, of oils, 325
CHEMICAL SURVEY,
erucic acid content, nasturtium *Tropaeolum majus* L., 1145
CHICKEN MEAT,
6-ketocholestanol, unirradiated and irradiated, 789
CHIRAL COLUMNS,
bovine milk fat, HPLC, positional distribution, short-chain fatty acids, 1177
CHLOROPHYLL ADSORPTION,
alumina-pillared acid-activated, clays, 241
CHLOROPHYLL BREAKDOWN PRODUCTS,
canola oil stability, chemical aspects of, 843
CHLOROPHYLL DERIVATIVES,
behavior of, canola oil processing, 837
CHOLESTEROL,
γ-irradiation of, liposomes, oxidation products, 255
fish products, oxidative decomposition of, 595
CHOLESTEROL OXIDATION PRODUCTS,
irradiated meats, quantitation of, unirradiated, 371
CLAYS,
alumina-pillared acid-activated, chlorophyll adsorption, 241
COCOA BUTTER,
by fungal lipases, effect of solvent on 1,3-specificity, transesterification of, 567
COINCYA,
Brassicaceae, fatty acid composition, of seed oil, triglycerides, 1157
COLLABORATIVE STUDY OF,
oil stability index analysis, 1055
COLOR FIXATION,
causative factors, in rice bran oil, 785
COMPOSITION OF,
^{13}C NMR, high-resolution, hydrogenated fats by, 965
COMPOSITION OF FATS,
^{13}C NMR spectra, high-resolution, 361
COMPOSITIONAL ANALYSES,
flax, hydrocyanic acid, mucilage trypsin inhibitors, 899
CONJUGATED OCTADECATRIENES,
edible fats and oils, 1093
COOKED BEEF,
flame-ionization detection, lipids, TLC, 1131
CORN GERM OIL,
aqueous enzymatic, extraction, quality, 1273
CORN OIL,
multiple-variable approach, oxidation, 261
COSURFACTANTS,
in microemulsions, 69
COTTONSEED,
alcohol extraction, 207
COTTONSEED YIELD AND QUALITY,
effect of, growth, plant population densities, retardants, 313

CREPIS ALPINA,
HPLC, seed oils, 449
CULTIVAR IDENTIFICATION IN *BRASSICA NAPUS* L.,
ethanol extracts, reversed-phase HPLC, 863
CUPHEA OIL,
effects of feeding, three generations of CBA/2 and C57B1/6 mice, 797
CUTTING FLUID ADDITIVES,
adducts of diamines and acid chlorides, properties of, 927
CYCLOPROPENOID FATTY ACIDS,
Senegal, *Sterculia* seed oils, 205
CYSTAMINE DERIVATIVES,
physical and surface properties, synthesis, 37

D

D-TOCOPHEROLS,
antioxidant effects, during microwave heating, in oils, 989
DEEP FRYING,
oils, regeneration, 507
DEGUMMING,
bleaching, *Lesquerella fendleri* seed oil, 579
physical refining, soybean oil, supercritical CO_2, 473
DENICKLING,
fatty acid pitch, 193
DENSITY ESTIMATION,
based on their fatty acid composition, fatty acids, vegetable oils, 875
DEODORIZATION AND DEACIDIFICATION OF,
dense carbon dioxide, edible oils, 947
DEODORIZER DISTILLATE(S),
enzymatic pretreatment, sterols and tocopherols, 287
olive oil, squalene recovery, 763
DETECTION OF,
by cooling curve analysis, hydrolysis, interesterified fat in hydrogenated fat, lipase, 923
DETERGENCY,
by alkaline cellulase, 53
of linear alkylbenzene sulfonate as function of water hardness, 79
DIACYLGLYCEROLS,
gas-chromatographic determination, high-resolution, vegetable oils, 175
DIETARY FAT AVAILABILITY,
correction of, estimates, for wastage, of food service deep-frying fats, 613
DIGLYCERIDES,
by HPLC, evaporative, light-scattering detection, quantitative determination, 343
DIOXANE SURFACTANTS,
synthesis of cleavable dianionic surfactants containing a 1,3-dioxane ring, 731
DIOXOLANE SURFACTANTS,
synthesis, surface chemistry and decomposition profiles of dioxolane carboxylates, 29
DOCOSAHEXAENOIC ACID,
triglyceride specificity of *Candida cylindracea* lipase, 1031

E

(*E*)-2-NONENAL,
from castor oil, one-pot synthesis of, 643
(*E*)-3-ALKENOIC ACIDS,
synthesis of, 297
EDIBLE FATS AND OILS,
conjugated octadecatrienes, 1093
EDIBLE OILS,
by instrumental, determination of seventeen elements in, neutron activation analysis, 803
chemical, interesterification, regioselectivity, 411
dense carbon dioxide, deodorization and deacidification of, 947
EFFECT OF IRRADIATION,
digestibility (*in vitro*), proteinase inhibitor activity, safflower oilcake, 935
EICOSAPENTAENOIC ACID-CONTAINING OIL BY,
Δ12, desaturase-defective mutant of *Mortierella alpina* 1S-4, production of, 119
ENRICHMENT OF,
by HPLC, from neutral lipids, in peanut oil, phospholipids, 637
ENVIRONMENT,
decomposition profiles of dioxolane carboxylates, 29
life-cycle analysis of petrochemical and oleochemical surfactants, 1
ENZYMATIC HYDROLYSIS PRETREATMENT FOR,
mechanical expelling of soybeans, 885
ENZYMATIC INTERESTIFICATION,
canola, lecithin–hexane reverse micelles, triolein with tripalmitin, 737
tallow-sunflower oil mixtures, 281
ENZYMATIC MODIFICATION OF,
canola/palm oil mixtures, 849
ENZYMATIC PRETREATMENT,
deodorizer distillate, sterols and tocopherols, 287
ENZYMATIC SYNTHESIS,
alkyl glycoside fatty esters using lipase, 43
ENZYMATICALLY-MODIFIED BUTTERFAT,
mass spectrometric identification, of triacylglycerols, on a polarizable phenylmethylsilicone column, separated, 1209
ENZYME-AIDED,
cost evaluation, processing of, product quality, technology, 825
EPOXIDIZED VEGETABLE OILS,
^{13}NMR, 1139
EPOXY SECONDARY AMIDES,
direct amidation, synthesis and isolation of, *via*, *Vernonia galamensis* seed oil, 457
ERUCIC ACID,
synthesis and properties, triacylglycerols, 955
ERUCIC ACID CONTENT,
chemical survey, nasturtium *Tropaeolum majus* L., 1145
ERUCIC ACID FROM RAPESEED OIL,
fatty acid selectivity of lipases, 387
ESTERIFICATION,
rice bran oil, with methanol and ethanol, 145
ESTOLIDES,
from, meadowfoam oil fatty acids, monounsaturated fatty acids, 461
ETHOXYQUIN,
8-methylethoxyquin, a possible replacement for, 931
EVAPORATIVE,
by HPLC, diglycerides, monoglycerides, quantitative determination, 343
EXTRUDATE STRUCTURE AND PROPERTIES,
extrusion, mechanism, thermoplastic, 417
EXTRUSION,
extrudate structure and properties, mechanism, thermoplastic, 417

F

FACTICE,
oil mixtures, 309
FAT HYDROGENATION,
nickel-based catalysts, poisoning of, review, 1149
FAT MODIFICATION,
Afuega'l pitu cheese, capillary gas chromatography, 1035
FATTY ACID,
gas–liquid chromatography, methyl esters, physicochemical properties, 149
FATTY ACID COMPOSITION,
Coincya, Brassicaceae, of seed oil, triglycerides, 1157
Icelandic fish species, 1081
FATTY ACID PITCH,
denickling, 193
FATTY ACID SELECTIVITY,
Geotrichum candidum, lipases, 1043

FATTY ACIDS,
based on their fatty acid composition, density estimation, 875
palm fruit, positional distribution, triacylglycerols, 1255
FATTY CYCLOPROPENOIDS,
of boron trifluoride, presence, rearrangement of, 1607
FISH LIPIDS,
determination, λ3 polyunsaturated fatty acids, proton NMR, 225
FISH PRODUCTS,
cholesterol, oxidative decomposition of, 595
FISH OIL,
by, increasing, lipase-catalyzed acidolysis, n-3 polyunsaturated fatty acid content, temperature control, 1285
FISH OIL FATTY ACID ETHYL ESTERS,
solubility of, sub- and supercritical carbon dioxide, 583
FLAVONOIDS,
an alternative to synthetic, antioxidants, of fish oil, stabilizers, 773
FLAX,
compositional analyses, hydrocyanic acid, mucilage trypsin inhibitors, 899
FLUOROSURFACTANTS,
synthesis of 2-perfluoroalkyl 2-hydroxy ethyl amino acids, 103
FOAM STABILITY,
of linear alkylbenzene sulfonate as function of concentration and water hardness, 75
FOOD CONTAINING LIPIDS
irradiated, radiation-induced alkanes and alkanes to detect, 179
FORMATION OF HEADSPACE VOLATILES,
oxidized fish oils, oxidized vegetable oils, thermal decomposition, 767
FRACTIONATION,
butter oil, lipase-modified, triacylglycerols, 1203
FRACTIONATION OF,
rapeseed lecithin, with alcohols, 405
FREE FATTY ACIDS,
and oils by, fats, Fourier transform infrared spectroscopy, quantitative determination, 335
FREE FATTY ACIDS IN,
automated, canola, gas–liquid chromatographic method of measuring, 229
FRIED BATTER COATINGS,
reduction of fat in, with powdered cellulose, 619
FROM BEEF TALLOW,
effects of, extraction, fractionation, of cholesterol, pressures, supercritical, 139
FRYING STABILITY OF,
acid compositions, canola, oils, modified fatty, soybean, 983
FRYINGS,
changes in, hydrolytic, sunflower oil, thermoxidative, 1069
FUSARIUM SPECIES,
fatty acid composition, polar and nonpolar lipids, 1039

G

GAS CHROMATOGRAPHY,
palm oil fractions, triacylglycerols, 1111
GAS-CHROMATOGRAPHIC DETERMINATION,
diacylglycerols, high-resolution, vegetable oils, 175
GAS–LIQUID CHROMATOGRAPHY,
fatty acid, methyl esters, physicochemical properties, 149
HPLC, isologous short-chain triacylglycerols, of butter oil, on-line mass spectrometry, 1183
GEOMETRICAL ISOMERIZATION,
α-linolenic acid, heat-induced, individual isomers, 425
GLYCEROL,
catalytic synthesis of, glycine, serine, 1027
fatty acid concentrate, lipase-catalyzed esterification, n-3 polyunsaturated, 745
GLYCINE,
catalytic synthesis of, from, glycerol, 1027
GLYCINE DERIVATIVES,
N-(2-hydroxysubstituted phenoxy propyl)glycines as antibacterial surfactants, 109
GLYCININ,
function of hydration, thermal denaturation, 1279
GRAVIMETRIC DETERMINATION,
oxidative, stability of oils, 245
GUAYULE,
characteristics, Mapimi Region, productivity, 1229
fatty acid composition, oil content, plants, seed oil, with different chromosome numbers, 547
preemergence herbicides, response of direct-seeded, 1239

H

HEMOLYSIS,
by nonionic surfactants, 679
HEPTALDEHYDE,
heptyl alcohol, hydrogenation, with nickel catalysts, 435
HIGH-ERUCIC ACID RAPESEED OIL,
enzymatic synthesis of, trierucin, 961
HIGH-PERFORMANCE,
olive oils, separation, wax esters, 793
HIGH-PERFORMANCE SIZE-EXCLUSION,
evaluation, sunflower oil used for frying, 235
HIGH-PERFORMANCE SIZE-EXCLUSION CHROMATOGRAPHY,
autoxidation of unsaturated triacylglycerols, 779
HIGH-RESOLUTION,
^{13}C NMR spectra, composition of fats, 361
^{13}C NMR, composition of, hydrogenated fats by, 965
HIGH-RESOLUTION ^{13}C AND ^{1}H NMR,
ω3 fatty acids, white muscle, of atlantic salmon (*Salmo salar*), 971
HIGH-RESOLUTION GAS CHROMATOGRAPHIC DETERMINATION,
alkanols, in oils, olives, 919
HPLC,
compounds, olive oil, phenolic, 367
Crepis alpina, seed oils, triacylglycerols, *Vernonia galamensis*, 449
improved, normal-phase columns, vitamers, Vitamin E, 1
HYDROGENATION,
heptaldehyde, heptyl alcohol, with nickel catalysts, 435
HYDROGENATION OF,
oleic acid, rhenium-tin catalyst, to 9-octadecen-1-ol, 601
HYDROXY FATTY ACIDS,
hydroxylation of, oleic acid, selenium dioxide/*tert.*-butylhydroperoxide, 401
HYDROXYLATION OF,
hydroxy fatty acids, oleic acid, selenium dioxide/*tert.*-butylhydroperoxide, 401

I

ICELANDIC FISH SPECIES,
fatty acid composition, 1081
IDENTIFICATION AND QUANTITATION,
γ-oryzanol components, rice bran oil, tocols in, 301
IMMOBILIZED LIPASE,
hydrolysis of, optimization of hydrolysis in organic solvents, phosphatidylcholine, 111
IN PEANUT OIL,
enrichment of, from neutral lipids, phospholipids, 637
IN RICE BRAN OIL,
causative factors, color fixation, 785
INTERESTERIFICATION,
catalyzed, chemically, distinction between, enzymically, 1289
chemical, edible oils, regioselectivity, 411

INTERESTERIFIED FAT BLENDS,
physical properties, 467 INTERESTERIFIED FAT IN HYDROGENATED FAT,
by cooling curve analysis, detection of, hydrolysis, lipase, 923
INTERFACIAL TENSION,
dynamic, 47
measurement by video-enhanced spinning-drop tensiometer, 47
ISETHIONATE, SODIUM,
analysis in process streams, 733

J

JOJOBA CUTTINGS,
optimizing rooting, 1221
JOJOBA PRODUCTION,
effect of irrigation, seed yields, wax quality, 1225

K

KINETICS OF,
autoxidation of fats, 249

L

LECITHIN,
possibilities for utilization, sunflower, 997
LECITHIN–HEXANE REVERSE MICELLES,
enzymatic interesterification, triolein with tripalmitin, 737
LESQUERELLA FENDLERI OIL,
1,3-specific lypolysis, immobilized, reverse-micellar encapsulated enzymes, 1121
LESQUERELLA PRODUCTION,
cultural practices, 1241
LESQUERELLA FENDLERI SEED OIL,
degumming, bleaching, 579
LIGHT-SENSITIZED OXIDATION OF,
bleached and unbleached, effects of, rosemary oleoresins, soybean oil, 477
LINOLEIC ACID-D_2-ENRICHED TRIGLYCERIDES,
from *Crepis alpina* seed oil, large-scale preparation of, 817
LINOLENIC ACID-CONTAINING OILS,
α-linolenic, acid, artificial, edible, geometrical isomers, 219
LINOLENIC ACID LOSS,
18:3 Δ9-*cis*, Δ12-*cis*, Δ15-*trans* formation in soybean oil, effect of temperature on, 915
LIPASE,
in the preparation of alkyl glycoside fatty esters, 43
peculiar properties of, candida parapsiolsis (ashford) langeron and talice, 497
LIPASE-CATALYZED ESTERIFICATION,
fatty acid concentrate, glycerol, n-3 polyunsaturated, 745
LIPASE-MEDIATED,
acyl-exchange, butter oil, reactions, substrate preferences, 393
LIPASES,
fatty acid selectivity, *Geotrichum candidum*, 1043
LIPID,
antioxidants, oregano flavonoids, 483
LIPIDS,
cooked beef, flame-ionization detection, from, TLC, 1245
LIPOMYCES STARKEYI,
temperature shifts in regulation of lipids, 891
LIPOSOMES,
γ-irradiation of, cholesterol, oxidation products, 255
alteration of permeability by zwitterionic–anionic surfactant mixtures, 685
solubilization by surfactants, 699
LOW-CALORIC FAT,
polyglycerol esters, preparation of, substitutes, 1089

M

MACKEREL,
lipids, oxidative stability, 269
MALONALDEHYDE,
by an, formation, inhibition of, isoflavonoid isolated from young green barley leaves, 811
MARGARINE,
by instrumental, determination of seventeen elements in, neutron activation analysis, 803
MASS SPECTROMETRIC CHARACTERIZATION,
Vernonia galamensis oil, 905
MEADOWFOAM OIL,
Δ5 unsaturation, esterification, isolation and recovery of fatty acids, lipase-catalyzed hydrolysis, 555
MEADOWFOAM OIL FATTY ACIDS,
estolides, from, 461
MECHANICAL EXPELLING OF SOYBEANS,
enzymatic hydrolysis pretreatment for, 885
MEDITERRANEAN PLANT LEAVES,
α-tocopherol, antioxidant activity of, 807
METHYL ARACHIDONATE,
characterization of, oxidized, volatile decomposition products, 377
METHYL ESTER SULFONATE,
life-cycle analysis, 1
MICELLES,
effect of concentration in packing of sodium dodecyl sulfonate micelles, 676
effect of sodium glycocholate and taurocholate on mixed micelles of bile salts and nonionic surfactants, 693
solubilization behavior of *n*-octane and *n*-octanol in alcohol ethoxylate micelles, 717
MICROEMULSIONS,
water solubilization in microemulsions containing amines, 69
MILK FAT FRACTIONATION,
review, 1193
MONOGLYCERIDES,
by HPLC, evaporative, light-scattering detection, quantitative determination, 343
MONOUNSATURATED FATTY ACIDS,
estolides, from, 461
MONOUNSATURATED SUBSTRATES,
autoxidation of fats, kinetics, 1063
MULTIPLE-VARIABLE APPROACH,
corn oil, oxidation, 261

N

N-3 POLYUNSATURATED,
fatty acid concentrate, glycerol, lipase-catalyzed esterification, 745
N-ACYL-LEUCINES,
antibacterial activity, 23
N-ALKYL 2-AMINO-2-DEOXY-D-GLUCOPYRANOSIDE HYDROCHLORIDE,
antimicrobial activity, 17
biodegradation, 17
surface activity, 17
synthesis, 17
NASTRUTIUM *TROPAEOLUM MAJUS* L.,
chemical survey, erucic acid content, 1145
NEUTRON ACTIVATION ANALYSIS,
determination of seventeen elements in, edible oils, margarine, 803
NONHYDRATABLE SOYBEAN PHOSPHATIDES,
origin, whole beans or extraction, 639

NONIONICS,
effect of structure on hemolysis, 679

O

OF BUTTER OIL,
identification of, isologous short-chain triacylglycerols, 1071
OF FISH OIL,
an alternative to synthetic, antioxidants, flavonoids, stabilizers, 773
OF HYDROGENATED,
palm olein, polymorphic stability, 431
OIL,
absolute viscosity, regressional models, 1115
fatty acid-modified lipase, transesterification, 571
OIL STABILITY INDEX ANALYSIS,
collaborative study of, 1055
OILS,
active filter aids, deep frying, regeneration, 507
OILSEEDS,
analytical, determination of oil content, fluid extraction, supercritical, 437
OLEIC ACID,
glycerol esters, propoxylated, supercritical fluid chromatographic analysis, 355
hydrogenation of, rhenium-tin catalyst, to 9-octadecen-1-ol, 601
hydroxy fatty acids, hydroxylation of, selenium dioxide/*tert.*-butylhydroperoxide, 401
10-ketostearic acid, by, conversion of, staphylococcus species, to, 543
OLIVE OIL,
compounds, HPLC, phenolic, 367
deodorizer distillates, squalene recovery, 763
OLIVE OILS,
determination of grades of commercial, HPLC criteria, normal ranges, triacylglycerols, 199
HPLC, separation, 793
OLIVES,
alkanols, high-resolution gas chromatographic determination, in oils, 919
ONOSMODIUM HISPIDISSIMUM,
mack. seed oil, stereospecific analysis of, triglycerides, 629
OREGANO FLAVONOIDS,
antioxidants, lipids, 483
ORIGIN,
nonhydratable soybean phosphatides, whole beans or extraction, 639
OXIDATION,
corn oil, multiple-variable approach, 261
OXIDATION PRODUCTS,
γ-irradiation of, cholesterol, liposomes, 255
OXIDATIVE,
gravimetric determination, stability of oils, 245
OXIDATIVE DECOMPOSITION OF,
cholesterol, fish products, 595
OXIDATIVE STABILITY,
α-tocopherol, lipids, mackerel, phospholipids, sardine, synergism, 269
OXIDATIVE STABILITY OF,
high, normal, oleic, peanut oils, 489
OXIDIZED FISH OILS,
formation of headspace volatiles, thermal decomposition, 767
OXIDIZED VEGETABLE OILS,
formation of headspace volatiles, thermal decomposition, 767
OXYGEN,
permeability, wax films, water vapor, 867

P

PALM FRUIT,
fatty acids, positional distribution, triacylglycerols, 1255
PALM OIL,
adsorption of, by acid-treated rice hull ash, carotene, 539
PALM OIL DIESEL,
diesel engine, emission and wear, performance, 1021
PALM OLEIN,
of hydrogenated, polymorphic stability, 431
PALMITOYLPHOSPHOCHOLINEPROPANEDIOL,
dipalmitoylphosphatidylcholine, from, irradiated, isolation and identification of, 815
PEA BEAN (*PHASEOLUS VULGARIS* L.),
antioxidant activity of, extract, 909
PEANUT,
in Runner and Virginia cultivars at various maturity stages, tocopherols, 633
PEANUT OILS,
high, normal, oleic, oxidative stability of, 489
PECAN EMBRYOS,
lipid, proton magnetic resonance imaging, 1259
PHASE TRANSITIONS,
canola oil sediment, 441
PHOSPHATE,
hydration kinetics of pentasodium triphosphate, 83
hydration kinetics of pentasodium triphosphate in a detergent slurry, 91
PHOSPHATIDYLCHOLINE,
hydrolysis of, immobilized lipase, optimization of hydrolysis in organic solvents, 111
PHOSPHOLIPASE D ACTIVITY,
phospholipids, soybean protein bodies, 623
PHOSPHOLIPID BILAYER,
solubilization by surfactants, 699
PHOSPHOLIPIDS,
γ-radiation, aqueous suspension, effect of low-dose, 187
incorporation, lipase catalyzed modification, of *n*-3 fatty acids into biosurfactants, 125
phospholipase D activity, soybean protein bodies, 623
PHYSICAL PROPERTIES,
interesterified fat blends, 467
PHYSICAL REFINING,
degumming, soybean oil, supercritical CO_2, 473
PLUM,
kernel oils, volatile compounds, 1101
POISONING OF,
fat hydrogenation, nickel-based catalysts, review, 1149
POLAR AND NONPOLAR LIPIDS,
fatty acid composition, *Fusarium* species, 1039
POLYGLYCEROL ESTERS,
low-caloric fat, preparation of, substitutes, 1089
POLYMERS,
polymaleates and polyfumarates as builders, 645
POLYMORPHIC STABILITY,
of hydrogenated, palm olein, 431
POLYMORPHISM,
saturated monoacid, triglycerides, 211
POLYUNSATURATED,
fatty acid-containing, production of fish oils, triglycerides, 133
POSITIONAL DISTRIBUTION,
bovine milk fat, chiral columns, HPLC, short-chain fatty acids, 1177
butterfat triacylglycerols, fatty acids, 169
fatty acids, palm fruit, triacylglycerols, 1255
PRODUCTIVITY,
characteristics, cytogenetic, guayule, Mapimi Region, 1229
PROTON MAGNETIC RESONANCE IMAGING,
lipid, pecan embryos, 1259
PROTON NMR,
λ-3 polyunsaturated fatty acids, determination, fish lipids, 225

Q

QUALITY,
aqueous enzymatic, corn germ oil, extraction, 1273

QUANTITATIVE DETERMINATION,
and oils by, fats, free fatty acids, Fourier transform infrared spectroscopy, 335

R

RAPESEED LECITHIN,
fractionation of, with alcohols, 405
REFINING LOSS,
influence of viscosity on, rice bran oil, wax settling, 895
REGIOSELECTIVITY,
chemical, edible oils, interesterification, 411
REVERSED-PHASE HPLC,
cultivar identification in *Brassica napus*, ethanol extracts, 863
REVIEW,
fat hydrogentation, nickel-based catalysts, poisoning of, 1149
milk fat fractionation, 1193
RICE BRAN OIL,
γ-oryzanol components, identification and quantitation, 301
esterification, with methanol and ethanol, 145
identification and quantitation, tocols in, 301
influence of viscosity on, refining loss, wax settling, 895
RICINOLEAMIDE,
preparation of *n*-butylamine, 727

S

SAFFLOWER OILCAKE,
digestibility (*in vitro*), effect of irradiation, proteinase inhibitor activity, 935
SARCOSINATE,
determination of sodium lauroyl sarcosinate by gas chromatography, 97
SARDINE,
lipids, oxidative stability, 269
SELENIUM DIOXIDE/*TERT*-BUTYLHYDROPEROXIDE,
hydroxy fatty acids, hydroxylation of, oleic acid, 401
SERINE,
catalytic synthesis of, from, glycerol, 1027
SESAME OIL,
adsorption isotherms, in a concentrated, miscella system, 589
SHELF STABILITY,
sunflower nuts, 493
SLURRY,
hydration of TPP (pentasodium triphosphate) in detergent slurries, 91
SOAP,
determination in sewage sludge by HPLC, 667
SODIUM DODECYL SULFATE,
effect of micellar lifetime on rate of solubilization and detergency, 673
SOLUBILITY OF,
fish oil fatty acid ethyl esters, sub- and supercritical carbon dioxide, 583
SOY OIL LUTEIN ADSORPTION,
by silicic acid, effect of added solvents, 575
SOYBEAN,
acid compositions, frying stability of, modified fatty, oils, 983
SOYBEAN OIL(S),
bleached and unbleached, effects of, light-sensitized oxidation of, rosemary oleoresins, 477
composition and structure, photooxidation, triacylglycerol, 163
content, tocopherol, 1263
degumming, supercritical CO_2, physical refining, 473
SOYBEAN OIL/HEXANE MISCELLAS,
effects on lutein adsorption, polar solvents, silicic, acid, 1003
SOYBEAN OIL IN OLIVE OIL,
high-temperature capillary gas chromatography, quantitative analysis, 1051
SOYBEAN PROTEIN BODIES,
phospholipase D activity, phospholipids, 623
STABLE-ISOTOPE DILUTION ASSAYS,
quantitation of potent odorants of, virgin olive oil, 513
STABILITY OF OILS,
gravimetric determination, oxidative, 245
STERCULIA SEED OILS,
cyclopropenoid fatty acids, Senegal, 205
STEREOSPECIFIC ANALYSIS OF,
Onosmodium hispidissimum, mack. seed oil, triglycerides, 629
STEREOSPECIFIC ANALYSIS OF TRIACYL-*SN*-GLYCEROLS,
chiral-phase HPLC, micro method, 1047
SUBSTRATE PREFERENCES,
acyl-exchange, butter oil, lipase-mediated, reactions, 393
SULFOSUCCINATES,
from narrow-range ethoxylates, 707
SUNFLOWER,
lecithin, possibilities for utilization, 997
SUNFLOWER NUTS,
shelf stability, 493
SUNFLOWER OIL,
changes in, frying, hydrolytic, thermoxidative, 1069
SUNFLOWER OIL USED FOR FRYING,
chromatography, column, evaluation, gas, chromatography, high-performance size-exclusion chromatography, 235
SUPERCRITICAL,
determination of oil content, oilseeds, 437
extraction, from beef tallow, of cholesterol, 139
SUPERCRITICAL FLUID CHROMATOGRAPHIC ANALYSIS,
glycerol esters, oleic acid, propoxylatd, 355
SUPERCRITICAL FLUID CHROMATOGRAPHY,
analysis of, argentation, triacylglycerols, 939
SUPERCRITICAL CARBON DIOXIDE,
and, fish oil fatty acid ethyl esters, solubility of, sub-, 583
SUPERCRITICAL CO_2,
degumming, physical refining, soybean oil, 473
mixed, simple, solubility, triacylglycerols, 749
SURFACE TENSION,
dynamic and equilibrium, 65
SURFACTANT,
alcohol ether sulfate, 1, 699
alcohol ethoxylate, 1, 693, 707, 711, 717
alcohol sulfate, 1
alkylbenzene sulfonate, 1, 75, 79, 645, 723
alkylbenzene sulfonate/alpha olefin sulfonate mixtures, 59
alkyldiphenyl oxide sulfonates, 65
alkyl glycoside fatty esters, 43
alpha olefin sulfonate, 59
amines, 69
betaine (alkyldimethyl), 97, 685, 699
cystamine derivatives, 37
dioxane carboxylates, 731
dioxolane carboxylates, 29
disulfide derivatives, 37
dodecyl sulfate, 673, 685, 699
glycocholate, 693
methyl ester sulfonate, 1
mixed, 59, 65
N-acyl glucosamine derivatives, 17
N-acyl-L-leucines, 23
n-alkyl 2-amino-2-deoxy-D-glucopyranoside hydrochloride, 17
N-(2-hydroxysubstituted phenoxy propyl)glycines, 109
N-lauroyl sarcosinate (Na salt), 101
nonionics, 679, 693, 699
2-perfluoroalkyl 2-hydroxy ethyl amino acids, 105
soap, 667
sulfosuccinate, 707
taurocholate, 693
SYNTHESIS OF,
7,10-dihydroxy-8(*E*)-octadecenoic acid, 519

T

TALLOW-SUNFLOWER OIL MIXTURES,
enzymatic interesterification, 281
THERMAL DENATURATION,
function of hydration, glycinin, 1279
THERMAL GELATION,
canola globulin, 853
THERMOPLASTIC,
extrudate structure and properties, extrusion, mechanism, 417
TLC,
cooked beef, flame-ionization detection, lipids, 1245
TOCOPHEROL,
content, soybean oil, 1263
TOCOPHEROLS,
analysis of, capillary supercritical fluid, chromatography, mass spectrometry, 349
in Runner and Virginia cultivars at various maturity stages, peanut, 633
TOTAL STEROL AND TOCOPHEROL CONTENTS,
avocado oil varieties, 561
TRANSESTERIFICATION,
continuous reactor, enzymatic, lauric acid, rapeseed oil, 1105
fatty acid-modified lipase, oil, 571
TRANSESTERIFICATION OF,
by fungal lipases, cocoa butter, 567
TRIACYLGLYCEROL,
composition and structure, photooxidation, soybean oils, 163
TRIACYLGLYCEROL OF,
9,15-linoleic acid, volatile compounds, 157
TRIACYLGLYCEROLS,
analysis of, argentation, supercritical fluid chromatography, 939
butter oil, lipase-modified, 1203
erucic acid, synthesis and properties, 955
fatty acids, palm fruit, positional distribution, 1255
gas chromatography, medium-polarity wide-bore columns, palm oil fractions, 1111
mixed, simple, solubility, supercritical CO_2, 749
quantitative analysis, synthetic mixtures, with fatty acids from caprylic to stearic, 551
TRIBUTYRIN ESTERASE,
Bacillus strain A30-1 (ATCC 53841), from, purification and characterization, thermophilic and alkalophilic, 1135
TRIERUCIN,
enzymatic synthesis of, high-erucic acid rapeseed oil, 961
TRIGLYCERIDE OILS,
interpenetrating, naturally functionalized, polymer networks, reviews, 523
TRIGLYCERIDE SPECIFICITY OF *CANDIDA CYLINDRACEA* LIPASE,
docosahexaenoic acid, 1031
TRIGLYCERIDES,
Brassicaceae, *Coincya*, fatty acid composition, of seed oil, 1157
butter texture, 1075
fatty acid-containing, polyunsaturated, production of fish oils, 133
polymorphism, saturated monoacid, 211
Onosmodium hispidissimum, mack. seed oil, stereospecific analysis of, 629
TRIOLEIN WITH TRIPALMITIN,
canola, enzymatic interesterification, lecithin–hexane reverse micelles, 737

U

UNSAPONIFIABLE MATTER,
avocado oil varieties, total sterol and tocopherol contents, 561
UNSATURATION IN VEGETABLE OILS AND FATTY ACIDS,
tetrabutylammonium tribromide, voltametric titration, 277

V

VEGETABLE OILS,
based on their fatty acid composition, density estimation, 875
diacylglycerols, gas-chromatographic, high-resolution, 175
VERNONIA GALAMENSIS,
HPLC, seed oils, 449
VERNONIA GALAMENSIS OIL,
mass spectrometric characterization, 905
VERNONIA GALAMENSIS SEED OIL,
1,3-divernoloyl glycerol, enzymatic synthesis, spectroscopic characterization, 129
direct amidation, epoxy secondary amides, synthesis and isolation of, *via*, 457
VIRGIN OLIVE OIL,
quantitation of potent odorants of, stable-isotope dilution assays, 513
VITAMIN E,
HPLC, improved, normal-phase columns, vitamers, 1

VOLATAMETRIC TITRATION,
tetrabutylammonium tribromide, unsaturation in vegetable oils and fatty acids, 277
VOLATILE COMPOUNDS,
9,15-linoleic acid, triacylglycerol of, 157
almond, kernel oils, plum, 1101
VOLATILE DECOMPOSITION PRODUCTS,
characterization, methyl arachidonate, oxidized, 377

W

WATER VAPOR,
oxygen, permeability, wax films, 867
WAX SEDIMENTS,
canola oils, characterization of, 535
WAX ESTERS,
high-performance, olive oils, separation, 793
WETTING,
enhancement by water-insoluble surfactants, 65
WITH NICKEL CATALYSTS,
heptaldehyde, heptyl alcohol, hydrogenation, 435

Surfactants and Detergents

A

ALCOHOL ETHER SULFATE,
life-cycle analysis of petrochemical and oleochemical origin, 1
ALCOHOL ETHOXYLATE,
effect of ethylene oxide distribution on properties of sulfosuccinates, 707
life-cycle analysis of petrochemical and oleochemical origin, 1
micellar solubilization of *n*-octane and *n*-octanol, 717
polarity as a function of ethylene oxide distribution, 711
ALCOHOL SULFATE
life-cycle analysis of petrochemical and oleochemical origin, 1
ALKYLBENZENE SULFONATE
biodegradation kinetics, 645
detergency in Mg-containing water, 723
influence of concentration and water hardness on foaming properties, 75
influence of water hardness on detergency, 79
life-cycle analysis, 1
AMIDES
preparation from glycerides, 727
AMINES
medium chainlength as cosurfactants, 69
ANALYSIS
of alkyldimethyl betaine, 97
of soap in sewage sludge, 667
of sodium isethionate in lye process streams, 733
of sodium lauroyl sarcosinate, 101
ANTIBACTERIAL ACTIVITY
of *N*-acyl glucosamine derivatives, 17
of *N*-acyl-L-leucines, 23
n-alkyl 2-amino-2-deoxy-D-glucopyranoside hydrochloride, 17
N-(2-hydroxysubstituted phenoxy propyl)glycines, 109

B

BETAINES
analysis by potentiometric titration, 97
interaction with sodium dodecyl sulfate, 685
BILE SALTS
mixed micelles with nonionics, 693
BIODEGRADATION
of linear alkylbenzene sulfonates in the environment, 645
of polycarboxylates containing vinyl groups, 645
BIOSURFACTANTS
enzymatic synthesis of alkyl glycoside fatty esters, 43
BIS-QUATERNARY AMMONIUM HALIDE SURFACTANTS
synthesis, physical and surface properties, 37
BUILDERS
performance and biodegradability of polycarboxylates containing vinyl alcohol groups, 659

C

CELLULASE
alkaline, in oily soil removal from interfiber space in cotton interior, 53
COSURFACTANTS
in microemulsions, 69
CYSTAMINE DERIVATIVES
synthesis, physical and surface properties, 37

D

DETERGENCY
by alkaline cellulase, 53
of linear alkylbenzene sulfonate as function of water hardness, 79
DIOXANE SURFACTANTS
synthesis of cleavable dianionic surfactants containing a 1,3-dioxane ring, 731
DIOXOLANE SURFACTANTS
synthesis, surface chemistry and decomposition profiles of dioxolane carboxylates, 29

E

ENVIRONMENT
decomposition profiles of dioxolane carboxylates, 29
life-cycle analysis of petrochemical and oleochemical surfactants, 1
ENZYMATIC SYNTHESIS
alkyl glycoside fatty esters using lipase, 43

F

FLUOROSURFACTANTS
synthesis of 2-perfluoroalkyl 2-hydroxy ethyl amino acids, 103
FOAM STABILITY
of linear alkylbenzene sulfonate as function of concentration and water hardness, 75

G

GLYCINE DERIVATIVES
N-(2-hydroxysubstituted phenoxy propyl)glycines as antibacterial surfactants, 109

H

HEMOLYSIS
by nonionic surfactants, 679

I

INTERFACIAL TENSION
dynamic, 47
measurement by video-enhanced spinning-drop tensiometer, 47
ISETHIONATE, SODIUM
analysis in process streams, 733

L

LIPASE
in the preparation of alkyl glycoside fatty esters, 43
LIPOSOMES
alteration of permeability by zwitterionic/anionic surfactant mixtures, 685
solubilization by surfactants, 699

M

METHYL ESTER SULFONATE
life-cycle analysis, 1
MICELLES
effect of concentration in packing of sodium dodecyl sulfate micelles, 676
effect of sodium glycocholate and taurocholate on mixed micelles of bile salts and nonionic surfactants, 693
solubilization behavior of *n*-octane and *n*-octanol in alcohol ethoxylate micelles, 717
MICROEMULSIONS
water solubilization in microemulsions containing amines, 69

N

N-ACYL GLUCOSAMINE DERIVATIVES
antimicrobial activity, 17
biodegradation, 17
surface activity, 17
synthesis, 17
N-ACYL-L-LEUCINES
antibacterial activity, 23
N-ALKYL 2-AMINO-2-DEOXY-D-GLUCOPYRANOSIDE HYDROCHLORIDE
antimicrobial activity, 17
biodegradation, 17
surface activity, 17
synthesis, 17
NONIONICS
effect of structure on hemolysis, 679

P

PHOSPHATE
hydration kinetics of pentasodium triphosphate, 83
hydration kinetics of pentasodium triphosphate in a detergent slurry, 91
PHOSPHOLIPID BILAYER
solubilization by surfactants, 699
POLYMERS
polymaleates and polyfumarates as builders, 645

R

RICINOLEAMIDE
preparation of *n*-butylamine, 727

S

SARCOSINATE
determination of sodium lauroyl sarcosinate by gas chromatography, 97
SLURRY
hydration of TPP (pentasodium triphosphate) in detergent slurries, 91
SOAP
determination in sewage sludge by high-performance liquid chromatography, 667
SODIUM DODECYL SULFATE
effect of micellar lifetime on rate of solubilization and detergency, 673
SULFOSUCCINATES
from narrow-range ethoxylates, 707
SURFACE TENSION
dynamic and equilibrium, 65
SURFACTANT
alcohol ether sulfate, 1, 699
alcohol ethoxylate, 1, 693, 707, 711, 717
alcohol sulfate, 1
alkylbenzene sulfonate, 1, 75, 79, 645, 723
alkylbenzene sulfonate/alpha olefin sulfonate mixtures, 59
alkyldiphenyl oxide sulfonates, 65
alkyl glycoside fatty esters, 43
alpha olefin sulfonate, 59
amines, 69
betaine (alkyldimethyl), 97, 685, 699
cystamine derivatives, 37
dioxane carboxylates, 731
dioxolane carboxylates, 29
disulfide derivatives, 37
dodecyl sulfate, 673, 685, 699
glycocholate, 693
methyl ester sulfonate, 1
mixed, 59, 65
N-acyl glucosamine derivatives, 17
N-acyl-L-leucines, 23
n-alkyl 2-amino-2-deoxy-D-glucopyranoside hydrochloride, 17
N-(2-hydroxysubstituted phenoxy propyl)glycines, 109
N-lauroyl sarcosinate (Na salt), 101
nonionics, 679, 693, 699
2-perfluoroalkyl 2-hydroxy ethyl amino acids, 105
soap, 667
sulfosuccinate, 707
taurocholate, 693

W

WETTING
enhancement by water-insoluble surfactants, 65

Author

A

ABE, M. See Saito, Y.
ABRAHAM, G., R.J. Hron, Sr., M.S. Kuk, and P.J. Wan. Water accumulation in the alcohol extraction of cottonseed, 207.
See Kuk, M.S.
ADDEO, F. See Sacchi, R.
ADLOF, R.O., and E.A. Emken. Large-scale preparation of linoleic acid-d_2-enriched triglycerides from *Crepis alpina* seed oil, 817.
See Neff, W.E.
ADU-PEASAH, S.P., L.L. Diosady, and L.J. Rubin. A multistage hydrocyclone/stirred-tank system for countercurrent extraction of canola oil, 755
AGRAWAL, Y.C. See Smith, D.D.
AKASBI, M., D.W. Shoeman, and A.S. Csallany. High-performance liquid chromatography of selected phenolic compounds in olive oils, 367
AKOH, C.C. See Mutua, L.N.
ALONSO, L. Fat modification in Afuega'l Pitu cheese during ripening by capillary gas chromatography, 1035
ALY, G., S. Stenström, F. Bertilsson, and M. Beijer. Denickling of fatty acid pitch, 193
AMELIO, M., R. Rizzo, and F. Varazini. Separation of wax esters from olive oil by high-performance liquid chromatography, 793
ANDERSON, M.A., L. Collier, R. Dilliplane, and F.O. Ayorinde. Mass spectrometric characterization of *Vernonia galamensis* oil, 905.
See Bryant, K.A.A.
ANDERSON, R.S. See Moffat, C.F.
ANDERSSON, P.E. See Blomberg, L.G.
ANDO, Y., and T. Takagi. Micro method for stereospecific analysis of triacyl-*sn*-glycerols by chiral-phase high-performance liquid chromatography, 1047
ANG, J.F. Reduction of fat in fried batter coatings with powdered cellulose, 619
ANGULO SÁNCHEZ, J.L. See Jasso de Rodriguez, D.
ANTONIOSI FILHO, N.R., E. Carrilho, and F.M. Lanças. Fast quantitative analysis of soybean oil in olive oil by high-temperature capillary gas chromatography, 1051
APPLEWHITE, T.H. See Hunter, J.E.
ARNTFIELD, S.D. See Léger, L.W.
ARROYO, R. See Cuesta, C.
ARTZ, W.E., E.G. Perkins, and L. Salvador-Henson. Characterization of the volatile decomposition products of oxidized methyl arachidonate, 377.
See Lu, X.J.
ARUMUGHAN, C. See George, S.
ASANO, H., C. Izumi, Y. Sano, Y. Tabata, and M. Ueno. Effects of sodium glycocholate and sodium taurocholate on the mixed micelles of bile salts and nonionic surfactant, 693
AUBOURG, S.P. See Sacchi, R.
AURSAND, M., J.R. Rainuzzo, and H. Grasdalen. Quantitative high-resolution ^{13}C and ^{1}H nuclear magnetic resonance of $\omega 3$ fatty acids from white muscle of Atlantic salmon (*Salmo salar*), 971
AYERZA (H), R. Effect of irrigation on jojoba production under Arid Chaco conditions: II seed yields and wax quality, 1225
AYORINDE, F.O., C.P. Nwaonicha, V.N. Parchment, K.A. Bryant, M. Hassan, and M.T. Clayton. Enzymatic synthesis and spectroscopic characterization of 1,3-divernoloyl glycerol from *Vernonia galamensis* seed oil, 129
See Anderson, M.A..
See Bryant, K.A.A.

B

BAGBY, M.O. See Knothe, G.
BAILLARGEON, M.W. See Sonnet, P.E.
BANNON, C. See Lozano, Y.F.
BARRETT, L.W., L.H. Sperling, and C.J. Murphy. Naturally functionalized triglyceride oils in interpenetrating polymer networks, 523
BASSENE, E. See Miralles, J.
BASYONY, A.E. See Sawan, Z.M.
BEIJER, M. See Aly, G.
BENGOECHEA, C. See Moreno, A.
BERGER, K.G. Questions on the fruit pulp oil composition of *Canarium schweinfurthii* Engl., 323
BERNA, J.L. See Cohen, L.
BERTHELOT, J., P.L. Desbène, and A. Desbène-Monvernay. Use of tetrabutylammonium tribromide for voltametric titration of unsaturation in vegetable oils and fatty acids, 277
BERTILSSON, F. See Aly, G.
BEZARD, J. See Kuksis, A.
BHARDWAJ, S. See Suri, S.K.
BHATTACHARYYA, D.K. See Sil Roy, S.
BHATTY, R.S. Further compositional analyses of flax: Mucilage, trypsin inhibitors and hydrocyanic acid, 899
BILIADERIS, C.G. See Liu, H.
See Przybylski, R.
BILYK, A. See Piazza, G.J.
BIRKER, P.J.M.W.L., and J.C.G. Blonk. Alkyl chain packing in a β' triacylglycerol measured by atomic force microscopy, 319
BISTLINE, JR., R.G. See Piazza, G.J.
BIZIMANA, V., W.M. Breene, and A.S. Csallany. Avocado oil extraction with appropriate technology for developing countries, 821
BLOMBERG, L.G., M. Demirbüker, and P.E. Andersson. Argentation supercritical fluid chromatography for quantitative analysis of triacylglycerols, 939
BLONK, J.C.G. See Birker, P.J.M.W.L.
BOATRIGHT, W.L., and H.E. Snyder. Soybean protein bodies: Phospholipids and phospholipase D activity, 623
BOBIK, JR., E. See Liu, J.
BOCCI, F. See Frega, N.
BOCEVSKA, M., D. Karlović, J. Turkulov, and D. Pericin. Quality of corn germ oil obtained by aqueous enzymatic extraction, 1273
BONDIOLI, P., C. Mariani, A. Lanzani, E. Fedeli, and A. Muller. Squalene recovery from olive oil deodorizer distillates, 763
BORCHARDT, J.K., and C.W. Yates. Design and performance of a dynamic interfacial tension spinning-drop tensiometer, 47
BORIACK, C.J. See Dobson, K.S.
BORNAZ, S., J. Fanni, and M. Parmentier. Butter texture: The prevalent triglycerides, 1075
BRAVO, J. See Moreno, A.
BREENE, W.M. See Bizimana, V.
See Budin, J.T.
BRIMBERG, U.I. On the kinetics of the autoxidation of fats, 249
On the kinetics of the autoxidation of fats. II. Monounsaturated substrates, 1063
BROWN, E.D. See Marangoni, A.G.
BROWN, J. The future of agricultural crops, 1219
BRYANT, K.A.A., C.P. Nwaonicha, M. Hassan, M.A. Anderson, and F.O. Ayorinde. Synthesis and isolation of epoxy secondary amides *via* direct amidation of *Vernonia galamensis* seed oil, 457
See Ayorinde, F.O.
BUDIN, J.T., and W.M. Breene. Factors affecting the shelf stability of sunflower nuts, 493

C

CABONI, M.F. See Gallina Toschi, T.
CALDWELL, J.D. See Yates, R.A.
CAMBON, A. See Nasreddine, M.
CAPELLA, P. See Gallina Toschi, T.
CARLSON, K.D., and R. Kleiman. Chemical survey and erucic acid content of commercial varieties of nasturtium, *Tropaeolum majus* L., 1145
and R. Kleiman. Degumming and bleaching of *Lesquerella fendleri* seed oil, 579
R. Kleiman, and R.P. Pavlik. Prepress solvent extraction of Cuphea seed, 1269
CARPENTER, D.R. See Rogers, E.J.
CARRILHO, E. See Antoniosi Filho, N.R.
CASTILLO-M., A.A. See Toro-Vazquez, J.F.
CHAO, R.R., S.J. Mulvaney, and H. Huang. Effects of extraction and fractionation pressures on supercritical extraction of cholesterol from beef tallow, 139

CHAOUCH, A-A. See Lesgards, G.
CHEAH, K-Y. See Tang, T-S.
CHEN, H.S. See deMan, L.
CHEVOLLEAU, S., J.F. Mallet, A. Debal, and E. Ucciani. Antioxidant activity of Mediterranean plant leaves: Occurrence and antioxidative importance of α-tocopherol, 807
CHOO, Y-M. See Tang, T-S.
CHU, Y-H., and J-Y. Lin. Factors affecting the content of tocopherol in soybean oil, 1263
CICHOWICZ, D.J. See Haas, M.J.
CLARK, P.K., and A. Proctor. Effects on lutein adsorption of adding polar solvents to silicic acid or to soy oil/hexane miscellas, 1003
CLAYTON, M.T. See Ayorinde, F.O.
CLEMENTS, L.D. See Halvorsen, J.D.
COHEN, L., A. Moreno, and J.L. Berna. Influence of anionic concentration and water hardness on foaming properties of a linear alkylbenzene sulfonate, 75
A. Moreno, and J.L. Berna. Influence of calcium concentration in the washing liquor on detergency performance of linear alkylbenzene sulfonate, 79
R. Vergara, A. Moreno, and J.L. Berna. Linear alkylbenzene sulfonate detergency behavior in water containing magnesium ions, 723
COLLIER, L. See Anderson, M.A.
COOPER, T.G. See Halloin, J.M.
CRASKE, J.D. Separation of instrumental and chemical errors in the analysis of oils by gas chromatography—a collaborative evaluation, 325
See Fabien, R.
CRÉACH, A., and R. Lessire. Solubilization of acyl-CoA elongases from developing rapeseed (*Brassica napus* L.), 1129
CSALLANY, A.S. See Akasbi, M.
See Bizimana, V.
CUESTA, C., F.J. Sánchez-Muniz, C. Garrido-Polonio, S. López-Varela, and R. Arroyo. Thermoxidative and hydrolytic changes in sunflower oil used in fryings with a fast turnover of fresh oil, 1069
See Sánchez-Muniz, F.J.
CUPPETT, S. See Hall, III, C.

D

DAUN, J.K. See Hu, Z.
See Mailer, R.J.
DAVIES, M.E. See Mokaya, R.
DE LA MAZA, A., and J.L. Parra. Permeability alterations in unilamellar liposomes due to betaine-type zwitterionic and anionic surfactant mixed systems, 685
and J.L. Parra Juez. Solubilization of phospholipid bilayer caused by surfactants, 699
DEBAL, A. See Chevolleau, S.
DEFFENSE, E. Milk fat fractionation today: A review, 1193
DEMAN, J.M. See deMan, L.
DEMAN, L., Y.J. Xu, H.S. Chen, and J.M. deMan. Polymorphic stability of hydrogenated palm oleins in dilutions with unhydrogenated liquid oils, 431
DEMIRBÜKER, M. See Blomberg, L.G.
DESBÈNE, P-L. See Berthelot, J.
DESBÈNE-MONVERNAY, A. See Berthelot, J.
DIALLO, M.M. See Ray, D.T.
DIERIG, D.A. See Ray, D.T.
DIKSHIT, M. See Joseph, A.
DILLIPLANE, R. See Anderson, M.A.
DIOSADY, L.L. See Adu-Peasah, S.P.
DIZ, M. See Pinazo, A.
DOBSON, K.S., K.D. Williams, and C.J. Boriack. The preparation of polyglycerol esters suitable as low-caloric fat substitutes, 1089
DONHOWE, I.G., and O. Fennema. Water vapor and oxygen permeability of wax films, 867
DONKERBROEK, J.J. See Plantinga, J.J.
DUH, P-D. See Yen, G-C.
DUPONT, J. See Hendrich, S.

E

EDVARDSSON, J. See Irandoust, S.
EITENMILLER, R.R. See Hashim, I.B.
EL FARRA, A.H.A. See Sawan, Z.M.
EMKEN, E.A. See Adlof, R.O.
EMO, G. See Ismail, A.A.
EMURA, S. See Yoshida, H.
ERDÉLYI, A. See Holló, J.
ERGAN, F. See Trani, M.
ERHAN, S.M., R. Kleiman, and T.A. Isbell. Estolides from meadowfoam oil fatty acids and other monounsaturated fatty acids, 461
and R. Kleiman. Factice from oil mixtures, 309
ERRA, P. See Pinazo, A.
ESKIN, N.A.M. See Liu, H.
See Przybylski, R.
ESTILAI, A. Oil content and fatty acid composition of seed oil from guayule plants with different chromosome numbers, 547

F

FABIEN, R., J.D. Craske, and M. Wootton. Quantitative analysis of synthetic mixtures of triacylglycerols with fatty acids from caprylic to stearic, 551
FANNI, J. See Bornaz, S.
FEAIRHELLER, S.H. See Foglia, T.A.
See Piazza, G.J.
See Sonnet, P.E.
FEDELI, E. See Bondioli, P.
FELDMAN, W.R. See Palzkill, D.A.
FENNEMA, O. See Donhowe, I.G.
FERRER, J. See Moreno, A.
FLOR, R.V., L.T. Hecking, and B.D. Martin. Development of high-performance liquid chromatography criteria for determination of grades of commercial olive oils. Part I. The normal ranges for the triacylglycerols, 199
FOGLIA, T.A., K. Petruso, and S.H. Feairheller. Enzymatic interesterification of tallow-sunflower oil mixtures, 281
See Sonnet, P.E.
FORSSELL, P., P. Parovuori, P. Linko, and K. Poutanen. Enzymatic transesterification of rapeseed oil and lauric acid in a continuous reactor, 1105
FOSTER, M.A., L.G. Kleine, and J. Moore. Response of direct-seeded guayule to preemergence herbicides, 1239
FRANKEL, E.N. Formation of headspace volatiles by thermal decomposition of oxidized fish oils *vs.* oxidized vegetable oils, 767
FREGA, N., F. Bocci, and G. Lercker. High-resolution gas chromatographic determination of alkanols in oils extracted from olives, 919
F. Bocci, and G. Lercker. High-resolution gas-chromatographic determination of diacylglycerols in common vegetable oils, 175
FUJITA, T. See Watanabe, S.
FUJITA, Y. See Ohshima, T.
FUNADA, T. See Tanaka, Y.

G

GALLEGOS, C. See Rodríguez Patino, J.M.
GALLINA TOSCHI, T., M.F. Caboni, G. Penazzi, G. Lercker, and P. Capella. A study on cashew nut oil composition, 1017
GALZY, P. See Riaublanc, A.
GARCÍA-MESA, J.A., M.D. Luque de Castro, and M. Valcárcel. Factors affecting the gravimetric determination of the oxidative stability of oils, 245
GARRIDO, A. See Nieto, S.
GARRIDO-POLONIO, C. See Cuesta, C.
See Sánchez-Muniz, F.J.
GAYDOU, E.M. See Lozano, Y.F.
See Miralles, J.

GEORGE, S., and C. Arumughan. Positional distribution of fatty acids in the triacylglycerols of developing oil palm fruit, 1255
GIAMARCHI, P. See Lesgards, G.
GIBLIN, E.M. See MacKenzie, S.L.
GILKISON, I.S., and G.G. Shone. The rearrangement of fatty cyclopropenoids in the presence of boron trifluoride, 607
GODBER, J.S. See Shin, T.S.
GOH, S.H., S.K. Yeong, and C.W. Wang. Transesterification of cocoa butter by fungal lipases: Effect of solvent on 1,3-specificity, 567
GOPALA KRISHNA, A.G. Influence of viscosity on wax settling and refining loss in rice bran oil, 895
Isolation and identification of the causative factors responsible for color fixation in rice bran oil, 785
GRASDALEN, H. See Aursand, M.
GREWAL, V.S., S. Ramamurthi, and A.R. McCurdy. Synthesis and properties of erucic acid triacylglycerols, 955
GROSCH, W. See Guth, H.
GUERRERO, A. See Rodríguez Patino, J.M.
GUNSTONE, F.D. Information on the composition of fats from their high-resolution ^{13}C nuclear magnetic resonance spectra, 361
The composition of hydrogenated fats by high-resolution ^{13}C nuclear magnetic resonance spectroscopy, 965
The study of natural epoxy oils and epoxidized vegetable oils by ^{13}C nuclear magnetic resonance spectroscopy, 1139
See Thorisson, S.
GUTH, H., and W. Grosch. Quantitation of potent odorants of virgin olive oil by stable-isotope dilution assays, 513
GUZMAN-HARTY, M. See Liu, J.

H

HAAS, M.J., D.J. Cichowicz, J. Phillips, and R. Moreau. The hydrolysis of phosphatidylcholine by an immobilized lipase: Optimization of hydrolysis in organic solvents, 111
See Piazza, G.J.
HAGEMANN, J.W., and J.A. Rothfus. Transitions of saturated monoacid triglycerides: Modeling conformational change at glycerol during $\alpha \rightarrow \beta' \rightarrow \beta$ transformation, 211
HAGIWARA, H. See Nishiyama, T.
HAGIWARA, Y. See Nishiyama, T.
HALL, III, C., and S. Cuppett. The effects of bleached and unbleached rosemary oleoresins on light-sensitized oxidation of soybean oil, 477
HALLOIN, J.M., T.G. Cooper, E.J. Potchen, and T.E. Thompson. Proton magnetic resonance imaging of lipid in pecan embryos, 1259
HALVORSEN, J.D., W.C. Mammel, Jr., and L.D. Clements. Density estimation for fatty acids and vegetable oils based on their fatty acid composition, 875
HARDY, R. See Moffat, C.F.
See Thorisson, S.
HASHIM, I.B., P.E. Koehler, and R.R. Eitenmiller. Tocopherols in Runner and Virginia peanut cultivars at various maturity stages, 633
HASHIZUME, R. See Tanaka, Y.
HASSAN, M. See Ayorinde, F.O.
See Bryant, K.A.A.
HASTILOW, C. See Liu, J.
HAYES, D.G., and R. Kleiman. 1,3-Specific lipolysis of *Lesquerella fendleri* oil by immobilized and reverse-micellar encapsulated enzymes, 1121
and R. Kleiman. The isolation and recovery of fatty acids with Δ5 unsaturation from meadowfoam oil by lipase-catalyzed hydrolysis and esterification, 555
HECKING, L.T. See Flor, R.V.
HENDERSON, J.H. A laboratory study of the press effect in adsorptive bleaching, 831
HENDRICH, S., C.-K. Lii, R. Myers, and J. Dupont. Effects of feeding *Cuphea* oil to three generations of CBA/2 and C57B1/6 mice, 797
HERNÁNDEZ-C., R. See Toro-Vazquez, J.F.
HIRANO, J. See Tanaka, Y.
HOLLÓ, J., J. Perédi, A. Ruzics, M. Jeránek, and A. Erdélyi. Sunflower lecithin and possibilities for utilization, 997
HOPIA, A.I., A-M. Lampi, V.I. Piironen, L.E.T. Hyvönen, and P.E. Koivistoinen. Application of high-performance size-exclusion chromatography to study the autoxidation of unsaturated triacylglycerols, 779
HOSHINO, E. See Murata, M.
HOSHINO, T. See Yamane, T.
HRECZUCH, W., Z. Krasnodebski, and J. Szymanowski. Effect of narrowing oxirane adduct distribution on some properties of ethoxylated alcohol-based sulfosuccinic acid halfesters, 707
See Voelkel, A.
HRON, SR., R.J. See Abraham, G.
See Kuk, M.S.
HU, X., J.K. Daun, and R. Scarth. Characterization of wax sediments in refined canola oils, 535
HUANG, H. See Chao, R.R.
HUDSON, J.K. See Nilsson, W.B.
HUME, D.J. See May, W.E.
HUNNICUTT, M.L. See Pittinger, C.A.
HUNTER, J.E., and T.H. Applewhite. Correction of dietary fat availability estimates for wastage of food service deep-frying fats, 613
HUSAIN, S., M. Kifayatullah, G.S.R. Sastry, and N.P. Raju. Quantitative determination of castor oil in edible and heat-abused oils by ^{13}C nuclear magnetic resonance spectroscopy, 1251
P. Nageswara Sarma, G.Y.S.K. Swamy, and K. Sita Devi. Determination of physicochemical properties of some fatty acid methyl esters by gas liquid chromatography, 149
HWANG, K.T., and G. Maerker. Determination of 6-ketocholestanol in unirradiated and irradiated chicken meats, 789
and G. Maerker. Quantitation of cholesterol oxidation products in unirradiated and irradiated meats, 371
HYVÖNEN, L.E.T. See Hopia, A.I.

I

INFANTE, M.R. See Pinazo, A.
INFANTE-GUERRERO, R. See Toro-Vazquez, J.F.
IRANDOUST, S., and J. Edvardsson. Poisoning of nickel-based catalysts in fat hydrogenation, 1149
ISBELL, T.A. See Erhan, S.M.
ISKANDER, F.Y. Determination of seventeen elements in edible oils and margarine by instrumental neutron activation analysis, 803
ISMAIL, A.A., F.R. van de Voort, G. Emo, and J. Sedman. Rapid quantitative determination of free fatty acids in fats and oils by Fourier transform infrared spectroscopy, 335
ITABASHI, Y., J.J. Myher, and A. Kuksis. Determination of positional distribution of short-chain fatty acids in bovine milk fat on chiral columns, 1177
IZUMI, C. See Asano, H.

J

JAMES, JR., C. See St. Angelo, A.J.
JANZEN, D.C. See Pittinger, C.A.
JAREONKITMONGKOL, S., S. Shimizu, and H. Yamada. Production of an eicosapentaenoic acid-containing oil by a Δ12 desaturase-defective mutant of *Mortierella alpina* 1S-4, 119
JASSO DE RODRIGUEZ, D., J.L. Angulo Sánchez, F. Ramirez Godina, R. Morones Reza, and R. Rodriguez Garcia. Productivity and cytogenic characteristics of guayule. Screening of plants from the Mapimi Region, 1229
JEBE, T.A., M.G. Matlock, and R.T. Sleeter. Collaborative study on the oil stability index analysis, 1055
JEFFREY, B.S.J. See Sassano, G.J.
JERÁNEK, M. See Holló, J.
JI, C.N. See Wu, Z.G.
JOHNSON, J.H. See List, G.R.
JONES, K.C. See Maerker, G.
JONES, W. See Mokaya, R.

JOSEPH, A., and M. Dikshit. Effect of irradiation on the proteinase inhibitor activity and digestibility (*in vitro*) of safflower oilcake, 935

K

KAJIMOTO, G. See Yoshida, H.
KALLIO, H. See Laakso, P.
KALO, P., and A. Kemppinen. Mass spectrometric identification of triacylglycerols of enzymatically modified butterfat separated on a polarizable phenylmethylsilicone column, 1209
See Kemppinen, A.
KARLOVIĆ, D. See Bocevska, M.
KAWADA, K. See Matsumura, S.
KAWAHARA, H. See Watanabe, S.
KAWAKISHI, S. See Tsuda, T.
KAWAMURA, Y. See Matsumura, S.
KAWANARI, M. See Murakami, M.
KAWASAKI, Y. See Murakami, M.
KEMPPINEN, A., and P. Kalo. Fractionation of the triacylglycerols of lipase-modified butter oil, 1203
See Kalo, P.
KERMASHA, S., S. Kubow, M. Safari, and A. Reid. Determination of the positional distribution of fatty acids in butterfat triacylglycerols, 169
KIFAYATULLAH, M. See Husain, S.
KIMURA, H., and K. Tsuto. Catalytic synthesis of DL-serine and glycine from glycerol, 1027
KING, J.W. See List, G.R.
See Snyder, J.M.
See Taylor, S.L.
KLEIMAN, R. See Carlson, K.D.
See Erhan, S.M.
See Hayes, D.G.
KLEINE, L.G. See Foster, M.A.
KNAUFT, D.A. See O'Keefe, S.F.
KNOTHE, G., D. Weisleder, M.O. Bagby, and R.E. Peterson. Hydroxy fatty acids through hydroxylation of oleic acid with selenium dioxide/*tert*.-butylhydroperoxide, 401
KOCH, D.G. See Pittinger, C.A.
KOEHLER, P.E. See Hashim, I.B.
KOIVISTOINEN, P.E. See Hopia, A.I.
KOIZUMI, C. See Ohshima, T.
KONISHI, H., W.E. Neff, and T.L. Mounts. Chemical interesterification with regioselectivity for edible oils, 411
See Neff, W.E.
KRASNODEBSKI, Z. See Hreczuch, W.
KU, Y. See Yurawecz, M.P.
KUBOW, S. See Kermasha, S.
KUK, M.S., R.J. Hron, Sr., and G. Abraham. Adsorptive gossypol removal, 209
See Abraham, G.
KUKSIS, A., and J. Bezard. Dairy Lipids, 1159
See Itabashi, Y.
See Myher, J.J.
KULA, J., and H. Sadowska. One-pot synthesis of (*E*)-2-nonenal from castor oil, 643
KUMAR, S. See Singh, H.N.
KUO, S-J., and K.L. Parkin. Substrate preferences for lipase-mediated acyl-exchange reactions with butteroil are concentration-dependent, 393
KURAMOCHI, T. See Watanabe, S.
KURASHIGE, J., N. Matsuzaki, and H. Takahashi. Enzymatic modification of canola/palm oil mixtures: Effects on the fluidity of the mixture, 849

L

LAAKSO, P., and H. Kallio. Triacylglycerols of winter butterfat containing configurational isomers of monoenoic fatty acyl residues. I. Disaturated monoenoic triacylglycerols, 1161
and H. Kallio. Triacylglycerols of winter butterfat containing configurational isomers of monoenoic fatty acyl residues. II. Saturated dimonoenoic triacylglycerols, 1173
See Suutari, M.
LAKSHMINARAYANA, G. See Mhaskar, S.Y.
LAMPI, A-M. See Hopia, A.I.
LANÇAS, F.M. See Antoniosi Filho, N.R.
LANSER, A.C. Conversion of oleic acid to 10-ketostearic acid by a *Staphylococcus* species, 543
LANZANI, A. See Bondioli, P.
LARSON, R.J., T.M. Rothgeb, R.J. Shimp, T.E. Ward, and R.M. Ventullo. Kinetics and practical significance of biodegradation of linear alkylbenzene sulfonate in the environment, 645
LEE, T. See Liu, J.
LÉGER, L.W., and S.D. Arntfield. Thermal gelation of the 12S canola globulin, 853
LEI, X-G. See Wang, G-W.
LEIGHTON, F. See Nieto, S.
LERCKER, G. See Frega, N.
See Gallina Toschi, T.
LESGARDS, G., J. Raffi, I. Pouliquen, A-A. Chaouch, P. Giamarchi, and M. Prost. Use of radiation-induced alkanes and alkenes to detect irradiated food containing lipids, 179
LESSIRE, R. See Créach, A.
LI, N. See Ohshima, T.
LI, Z-Y., and O.P. Ward. Lipase-catalyzed esterification of glycerol and n-3 polyunsaturated fatty acid concentrate in organic solvent, 745
LIAW, Y-J. See Ziegler, G.R.
LIE KEN JIE, M.S.F. See Rosenblat, G.
LIEW, K.Y., A.H. Yee, and M.R. Nordin. Adsorption of carotene from palm oil by acid-treated rice hull ash, 539
LII, C.-K. See Hendrich, S.
LIN, J-Y. See Chu, Y-H.
LINKO, P. See Forssell, P.
LIST, G.R., J.W. King, J.H. Johnson, K. Warner, and T.L. Mounts. Supercritical CO_2 degumming and physical refining of soybean oil, 473
and T.L. Mounts. Origin of the nonhydratable soybean phosphatides: Whole beans or extraction? 639
See Taylor, S.L.
See Zeitoun, M.A.M.
LIU, H., C.G. Biliaderis, R. Przybylski, and N.A.M. Eskin. Phase transitions of canola oil sediment, 441
LIU, J., T. Lee, E. Bobik, Jr., M. Guzman-Harty, and C. Hastilow. Quantitative determination of monoglycerides and diglycerides by high-performance liquid chromatography and evaporative light-scattering detection, 343
LIU, Y-C. See Wang, G-W.
LÓPEZ-VARELA, S. See Cuesta, C.
LORTIE, R. See Trani, M.
LOW, N.H. See Tautorus, C.L.
LOYOLA, L.A. See Nieto, S.
LOZANO, Y.F., C.D. Mayer, C. Bannon, and E.M. Gaydou. Unsaponifiable matter, total sterol and tocopherol contents of avocado oil varieties, 561
LU, X.J., M.R. Myers, and W.E. Artz. Supercritical fluid chromatographic analysis of the propoxylated glycerol esters of oleic acid, 355
LUQUE DE CASTRO, M.D. See García-Mesa, J.A.

M

MACKENZIE, S.L., E.M. Giblin, and G. Mazza. Stereospecific analysis of *Onosmodium hispidissimum* Mack. seed oil triglycerides, 629
MAERKER, G., and K.C. Jones. A-ring oxidation products from γ-irradiation of cholesterol in liposomes, 255
See Hwang, K.T.
See Tinsley, P.W.
MAG, T. Canola: Process and product technology, 823
MAILER, R.J., J. Daun, and R. Scarth. Cultivar identification in *Brassica napus* L. by reversed-phase high-performance liquid chromatography of ethanol extracts, 863

AUTHOR INDEX

MALLET, J.F. See Chevolleau, S.
MAMMEL, JR., W.C. See Halvorsen, J.D.
MANJA, K.S. See Murali, H.S.
MARAI, L. See Myher, J.J.
MARANGONI, A.G., R.D. McCurdy, and E.D. Brown. Enymatic interesterification of triolein with tripalmitin in canola lecithin-hexane reverse micelles, 737
MARIANI, C. See Bondioli, P.
MARTIN, B.D. See Flor, R.V.
MASJUKI, H., A.M. Zaki, and S.M. Sapuan. A rapid test to measure performance, emission and wear of a diesel engine fueled with palm oil diesel, 1021
MASUYAMA, A. See Ono, D.
MATLOCK, M.G. See Jebe, T.A.
MATOBA, T. See Yukawa, N.
MATSUMURA, S., Y. Kawamura, S. Yoshikawa, K. Kawada, and T. Uchibori. Surface activities, biodegradability and antimicrobial properties of glucosamine derivatives containing alkyl chains, 17
H. Shigeno, and T. Tanaka. Builder performance in detergent formulations and biodegradability of poly(sodium carboxylate) containing vinyl alcohol groups, 659
MATSUZAKI, N. See Kurashige, J.
MAY, W.E., and D.J. Hume. An automated gas–liquid chromatographic method of measuring free fatty acids in canola, 229
MAYER, C.D. See Lozano, Y.F.
MAZZA, G. See MacKenzie, S.L.
MCCLELLAND, C.A. See Rogers, E.J.
MCCUISTION, W.L. See Sawan, Z.M.
MCCURDY, A.R. See Grewal, V.S.
See Ramamurthi, S.
MCCURDY, R.D. See Marangoni, A.G.
MCGILL, A.S. See Moffat, C.F.
MCPHERSON, B.P. See Rasmussen, H.T.
MEDINA, I. See Sacchi, R.
MHASKAR, S.Y., G. Lakshminarayana, and L. Saisree. *N*-Acyl-L-leucines of biologically active uncommon fatty acids: Synthesis and antibacterial activity, 23
and R. Subbarao. Synthesis of 7,10-dihydroxy-8(*E*)-octadecenoic acid, 519
MILOVANOVIĆ, M. See Pićurić-Jovanović, K.
MINGYU, J., and A. Proctor. The effect of added solvents on soy oil lutein adsorption by silicic acid, 575
MIRALLES, J., E. Bassene, and E.M. Gaydou. Determination of cyclopropenoid fatty acids in *Sterculia* seed oils from Senegal, 205
MIZUKAMI, F. See Tang, T-S.
MOFFAT, C.F., A.S. McGill, R. Hardy, and R.S. Anderson. The production of fish oils enriched in polyunsaturated fatty acid-containing triglycerides, 133
MOHAN, M.S. See Murali, H.S.
MOKAYA, R., W. Jones, M.E. Davies, and M.E. Whittle. Chlorophyll adsorption by alumina-pillared acid-activated clays, 241
MOLEVER, K. Quantitative determination of sodium lauroyl sarcosinate by gas chromatography, 101
MOLINA, A.A. See Yurawecz, M.P.
MOLLERUP, J. See Staby, A.
MOORE, J. See Foster, M.A.
MORALES, G. See Nieto, S.
MOREAU, R. See Haas, M.J.
MORENO, A., J. Bravo, J. Ferrer, and C. Bengoechea. Soap determination in sewage sludge by high-performance liquid chromatography, 667
See Cohen, L.
MORONES REZA, R. See Jasso de Rodriguez, D.
MOSSOBA, M. See Yurawecz, M.P.
MOUNTS, T.L. See List, G.R.
See Konishi, H.
See Neff, W.E.
See Warner, K.
See Zeitoun, M.A.M.
MULDER, R.J. See Plantinga, J.J.
MULLER, A. See Bondioli, P.
MULVANEY, S.J. See Chao, R.R.
MURAKAMI, M., Y. Kawasaki, M. Kawanari, and H. Okai. Transesterification of oil by fatty acid-modified lipase, 571
MURALI, H.S., M.S. Mohan, K.S. Manja, and R. Sankaran. Polar and nonpolar lipids and their fatty acid composition of a few *Fusarium* species, 1041
MURATA, M., E. Hoshino, M. Yokosuka, and A. Suzuki. New detergent mechanism using cellulase revealed by change in physicochemical properties of cellulose, 53
MURPHY, C.J. See Barrett, L.W.
MUTUA, L.N., and C.C. Akoh. Lipase-catalyzed modification of phospholipids: Incorporation of n-3 fatty acids into biosurfactants, 125
and C.C. Akoh. Synthesis of alkyl glycoside fatty acid esters in nonaqueous media by *Candida* sp. lipase, 43
MYERS, M.R. See Lu, X.J.
MYERS, R. See Hendrich, S.
MYHER, J.J., A. Kuksis, and L. Marai. Identification of the less common isologous short-chain triacylglycerols in the most volatile 2.5% molecular distillate of butter oil, 1183
See Itabashi, Y.

N

NAGESWARA SARMA, P. See Husain, S.
NAKATSUJI, Y. See Ono, D.
NAKAYAMA, T. See Tsuda, T.
NASREDDINE, M., S. Szönyi, and A. Cambon. New amphoteric surfactants containing the 2-perfluoroalkyl 2-hydroxy ethyl group and an amino acid residue, 105
NEEMAN, I. See Rosenblat, G.
NEFF, W.E., R.O. Adlof, H. Konishi, and D. Weisleder. High-performance liquid chromatography of the triacylglycerols of *Vernonia galamensis* and *Crepis alpina* seed oils, 449
T.L. Mounts, W.M. Rinsch, and H. Konishi. Photooxidation of soybean oils as affected by triacylglycerol composition and structure, 163
and E. Selke. Volative compounds from the triacylglycerol of *cis,cis* 9,15-linoleic acid, 157
See Konishi, H.
See Zeitoun, M.A.M.
NICOLAS, M. See Riaublanc, A.
NICOLOSI, R.J. See Rogers, E.J.
NIETO, S., A. Garrido, J. Sanhueza, L.A. Loyola, G. Morales, F. Leighton, and A. Valenzuela. Flavonoids as stabilizers of fish oil: An alternative to synthetic antioxidants, 773
NILSSON, W.B., and J.K. Hudson. Solubility of simple and mixed triacylglycerols in supercritical CO_2, 749
NISHIOKA, A. See Suzuki, K.
NISHIYAMA, T., Y. Hagiwara, H. Hagiwara, and T. Shibamoto. Inhibition of malonaldehyde formation from lipids by an isoflavonoid isolated from young green barley leaves, 811
NIWA, S. See Tang, T-S.
NORDIN, M.R. See Liew, K.Y.
NWAONICHA, C.P. See Ayorinde, F.O.
See Bryant, K.A.A.

O

O'KEEFE, S.F., V.A. Wiley, and D.A. Knauft. Comparison of oxidative stability of high- and normal-oleic peanut oils, 489
V.A. Wiley, and D. Wright. Effect of temperature on linolenic acid loss and 18:3 Δ9-*cis*, Δ12-*cis*, Δ15-*trans* formation in soybean oil, 915
OH, S.G., and D.O. Shah. The effect of micellar lifetime on the rate of solubilization and detergency in sodium dodecyl sulfate solutions, 673
OHNISHI, M., and H. Sagitani. The effect of nonionic surfactant structure on hemolysis, 679
See Tsuda, T.
OHSHIMA, T., N. Li, and C. Koizumi. Oxidative decomposition of cholesterol in fish products, 595

Y. Fujita, and C. Koizumi. Oxidative stability of sardine and mackerel lipids with reference to synergism between phospholipids and α-tocopherol, 269
OKAHARA, M. See Ono, D.
OKAI, H. See Murakami, M.
OMELCZENKO, N. See Rasmussen, H.T.
ONO, D., A. Masuyama, Y. Nakatsuji, M. Okahara, S. Yamamura, and T. Takeda. Preparation, surface-active properties and acid decomposition profiles of a new "soap" bearing a 1,3-dioxolane ring, 29
OREOPOULOU, V. See Vekiari, S.A.
OSAWA, T. See Tsuda, T.
ÖZGÜL, S., and S. Türkay. *In situ* esterification of rice bran oil with methanol and ethanol, 145

P

PÁLMADÓTTIR, H. See Sigurgisladóttir, S.
PALZKILL, D.A., and W.R. Feldman. Optimizing rooting of jojoba stem cuttings: Effects of basal wounding, rooting medium and depth of insertion in medium, 1221
PAOLILLO, L. See Sacchi, R.
PARCHMENT, V.N. See Ayorinde, F.O.
PARKIN, K.L. See Kuo, S-J.
PARMENTIER, M. See Bornaz, S.
PAROVUORI, P. See Forssell, P.
PARRA, J.L. See de la Maza, A.
PARRA JUEZ, J.L. See de la Maza, A.
PASTOR, J.E. See Vioque, J.
PAVLIK, R.P. See Carlson, K.D.
PENAZZI, G. See Galllina Toschi, T.
PERÉDI, J. See Holló, J.
PERICIN, D. See Bocevska, M.
PERKINS, E.G. See Artz, W.E.
PÉS, M.A. See Pinazo, A.
PETERSON, R.E. See Knothe, G.
PETRUSO, K. See Foglia, T.A.
PHILLIPS, J. See Haas, M.J.
PIAZZA, G.J., R.G. Bistline, Jr., A. Bilyk, S.H. Feairheller, and M.J. Haas. A novel technique for the preparation of secondary fatty amides II: The preparation of ricinoleamide from castor oil, 727
PIĆURIĆ-JOVANOVIĆ, K., and M. Milovanović. Analysis of volatile compounds in almond and plum kernel oils, 1101
PIIRONEN, V.I. See Hopia, A.I.
PINAZO, A., M. Diz, C. Solans, M.A. Pés, P. Erra, and M.R. Infante. Synthesis and properties of cationic surfactants containing a disulfide bond, 37
PITTINGER, C.A., J.S. Sellers, D.C. Janzen, D.G. Koch, T.M. Rothgeb, and M.L. Hunnicutt. Environmental life-cycle inventory of detergent-grade surfactant sourcing, 1
PLANTINGA, J.M., J.J. Donkerbroek, and R.J. Mulder. Determination of betaine and free amine in alkyldimethyl betaine by potentiometric titrations, 97
POTCHEN, E.J. See Halloin, J.M.
POULIQUEN, I. See Lesgards, G.
POUTANEN, K. See Forssell, P.
PRASAD, CH.D. See Singh, H.N.
PRIHA, P. See Suutari, M.
PROCTOR, A. See Clark, P.K.
See Mingyu, J.
PROST, M. See Lesgards, G.
PRZYBYLSKI, R., C.G. Biliaderis, and N.A.M. Eskin. Formation and partial characterization of canola oil sediment, 1009
See Liu, H.

R

RAFFI, J. See Lesgards, G.
RAINUZZO, J.R. See Aursand, M.
RAJU, N.P. See Husain, S.
RAMAMURTHI, S., and A.R. McCurdy. Enzymatic pretreatment of deodorizer distillate for concentration of sterols and tocopherols, 287
See Grewal, V.S.
RAMIREZ GODINA, F. See Jasso de Rodriguez, D.
RAO, B.V.S.K., P. Vijayalakshmi, and R. Subbarao. Synthesis of long-chain (E)-3-alkenoic acids by the Knoevenagel condensation of aliphatic aldehydes with malonic acid, 297
RASMUSSEN, H.T., N. Omelczenko, and B.P. McPherson. Analysis of sodium isethionate in soap and lye process streams by suppressed ion chromatography, 733
RATOMAHENINA, R. See Riaublanc, A.
RAY, D.T., D.A. Dierig, A.E. Thompson, and M.M. Diallo. Parent-offspring relationships in apomictic guayule, 1235
REID, A. See Kermasha, S.
RIAUBLANC, A., R. Ratomahenina, P. Galzy, and M. Nicolas. Peculiar properties of lipase from *Candida parapsilosis* (Ashford) Langeron and Talice, 497
RICE, S.M. See Rogers, E.J.
RINSCH, W.M. See Neff, W.E.
RIZZO, R. See Amelio, M.
ROCHA-URIBE, A. See Toro-Vazquez, J.F.
RODRIGUEZ GARCIA, R. See Jasso de Rodriguez, D.
RODRÍGUEZ PATINO, J.M., A. Guerrero, and C. Gallegos. Rheokinetic analysis of the hydration of pentasodium triphosphate in a detergent slurry, 91
Analysis of pentasodium triphosphate hydration kinetics, 83
ROGERS, E.J., S.M. Rice, R.J. Nicolosi, D.R. Carpenter, C.A. McClelland, and L.J. Romanczyk, Jr. Identification and quantitation of γ-oryzanol components and simultaneous assessment of tocols in rice bran oil, 301
ROMANCZYK, JR., L.J. See Rogers, E.J.
ROSEBERG, R.J. Culturai practices for lesquerella production, 1241
ROSEN, M.J., and Z.H. Zhu. Enhancement of wetting properties of water-insoluble surfactants *via* solubilization, 65
ROSENBLAT, G., M. Tabak, M.S.F. Lie Ken Jie, and I. Neeman. Inhibition of bacterial urease by autoxidation of furan C-18 fatty acid methyl ester products, 501
ROTHFUS, J.A. See Hagemann, J.W.
ROTHGEB, T.M. See Larson, R.J.
See Pittinger, C.A.
RUBIN, L.J. See Adu-Peasah, S.P.
RUZICS, A. See Holló, J.

S

SACCHI, R., I. Medina, S.P. Aubourg, F. Addeo, and L. Paolillo. Proton nuclear magnetic resonance rapid and structure-specific determination of ω-3 polyunsaturated fatty acids in fish lipids, 225
SADOWSKA, H. See Kula, J.
SAFARI, M. See Kermasha, S.
SAGITANI, H. See Ohnishi, M.
SAHA, B.C. See Wang, Y.
SAISREE, L. See Mhaskar, S.Y.
SAITO, Y., M. Abe, and T. Sato. Solubilization behavior of *n*-octane and *n*-octanol in polyoxyethylated nonionic micelles, 717
SAKAMOTO, M. See Watanabe, S.
SALVADOR-HENSON, L. See Artz, W.E.
SÁNCHEZ-MUNIZ, F.J., C. Cuesta, and C. Garrido-Polonio. Sunflower oil used for frying: Combination of column, gas and high-performance size-exclusion chromatography for its evaluation, 235
See Cuesta, C.
SANHUEZA, J. See Nieto, S.
SANKARAN, R. See Murali, H.S.
SANO, Y. See Asano, H.
SAPUAN, S.M. See Masjuki, H.
SARKAR, B.C. See Smith, D.D.
SASSANO, G.J., and B.S.J. Jeffrey. Gas chromatography of triacylglycerols in palm oil fractions with medium-polarity wide-bore columns, 1111
SASTRY, G.S.R. See Husain, S.

AUTHOR INDEX

SATO, T. See Saito, Y.
SAWAN, Z.M., A.E. Basyony, W.L. McCuistion, and A.H.A. El Farra. Effect of plant population densities and application of growth retardants on cottonseed yield and quality, 313
SCARTH, R. See Hu, Z.
See Mailer, R.J.
SEDMAN, J. See Ismail, A.A.
SELKE, E. See Neff, W.E.
SELLERS, J.S. See Pittinger, C.A.
SESSA, D.J. Thermal denaturation of glycinin as a function of hydration, 1279
SHAH, D.O. See Oh, S.G.
SHI, M.L. See Wu, Z.G.
SHIBAMOTO, T. See Nishiyama, T.
SHIGENO, H. See Matsumura, S.
SHIMIZU, S. See Jareonkitmongkol, S.
SHIMP, R.J. See Larson, R.J.
SHIN, T-S., and J.S. Godber. Improved high-performance liquid chromatography of vitamin E vitamers on normal-phase columns, 1289
SHOEMAN, D.W. See Akasbi, M.
SHONE, G.G. See Gilkison, I.S.
SIGURGISLADÓTTIR, S., and H. Pálmadóttir. Fatty acid composition of thirty-five Icelandic fish species, 1081
SIL ROY, S., and D.K. Bhattacharyya. Detection of interesterified fat in hydrogenated fat by lipase hydrolysis and by cooling curve analysis, 923
and D.K. Bhattacharyya. Distinction between enzymically and chemically catalzyed interesterification, 1293
SINGH, B.P.N. See Smith, D.D.
SINGH, H.N., Ch.D. Prasad, and S. Kumar. Water solubilization in microemulsions containing amines as cosurfactant, 69
SINGLETON, J.A. Enrichment of phospholipids from neutral lipids in peanut oil by high-performance liquid chromatography, 637
SITA DEVI, K. See Husain, S.
SLEETER, R.T. See Jebe, T.A.
SMITH, D.D., Y.C. Agrawal, B.C. Sarkar, and B.P.N. Singh. Enzymatic hydrolysis pretreatment for mechanical expelling of soybeans, 885
SNYDER, H.E. See Boatright, W.L.
SNYDER, J.M., S.L. Taylor, and J.W. King. Analysis of tocopherols by capillary supercritical fluid chromatography and mass spectrometry, 349
SOLANS, C. See Pinazo, A.
SONNET, P.E., T.A. Foglia, and S.H. Feairheller. Fatty acid selectivity of lipases: Erucic acid from rapeseed oil, 387
T.A. Foglia, and M.W. Baillargeon. Fatty acid selectivity: The selectivity of lipases of *Geotrichum candidum*, 1043
SOSADA, M. Optimal conditions for fractionation of rapeseed lecithin with alcohols, 405
SOSULSKI, F.W. See Sosulski, K.
SOSULSKI, K., and F.W. Sosulski. Enzyme-aided *vs.* two-stage processing of canola: Technology, product quality and cost evaluation, 825
SPERLING, L.H. See Barrett, L.W.
ST. ANGELO, A.J., and C. James, Jr. Analysis of lipids from cooked beef by thin-layer chromatography with flame-ionization detection, 1245
STABY, A., and J. Mollerup. Solubility of fish oil fatty acid ethyl esters in sub- and supercritical carbon dioxide, 583
STENSTRÖM, S. See Aly, G.
SUBBARAO, R. See Mhaskar, S.Y.
See Rao, B.V.S.K.
See Vijayalakshmi, P.
SURI, S.K., M.S. Thakur, and S. Bhardwaj. The mixed surfactant system of linear alkylbenzene sulfonate and alpha olefin sulfonate, 59
SUUTARI, M., P. Priha, and S. Laakso. Temperature shifts in regulation of lipids accumulated by *Lipomyces starkeyi*, 891
SUZUKI, A. See Murata, M.
SUZUKI, K., and A. Nishioka. Behavior of chlorophyll derivatives in canola oil processing, 837
SUZUKI, T. See Yamane, T.
SWAMY, G.Y.S.K. See Husain, S.
SZÖNYI, S. See Nasreddine, M.
SZYMANOWSKI, J. See Hreczuch, W.
See Voelkel, A.

T

TABAK, M. See Rosenblat, G.
TABATA, Y. See Asano, H.
TAKAGI, T. See Ando, Y.
TAKAHASHI, H. See Kurashige, J.
TAKAMURA, H. See Yukawa, N.
TANAKA, T. See Matsumura, S.
See Ono, D.
TANAKA, Y., T. Funada, J. Hirano, and R. Hashizume. Triglyceride specificity of *Candida cylindracea* lipase: Effect of docosahexaenoic acid on resistance of triglyceride to lipase, 1031
TANG, T-S., K-Y. Cheah, F. Mizukami, S. Niwa, M. Toba, and Y-M. Choo. Hydrogenation of oleic acid to 9-octadecen-1-ol with rhenium-tin catalyst, 601
TAUTORUS, C.L., and N.H. Low. Chemical aspects of chlorophyll breakdown products and their relevance to canola oil stability, 843
TAYLOR, S.L., J.W. King, and G.R. List. Determination of oil content in oilseeds by analytical supercritical fluid extraction, 437
See Snyder, J.M.
THAKUR, M.S. See Suri, S.K.
THOMOPOULOS, C.D. See Vekiari, S.A.
THOMPSON, A.E. See Ray, D.T.
THOMPSON, T.E. See Halloin, J.M.
THORISSON, S., F.D. Gunstone, and R. Hardy. 8-Methylethoxyquin: A possible replacement for ethoxyquin, 931
TINSLEY, P.W., and G. Maerker. Effect of low-dose γ-radiation on individual phospholipids in aqueous suspension, 187
and G. Maerker. Isolation and identification of palmitoylphosphocholinepropanediol from γ-irradiated dipalmitoylphosphatidylcholine, 815
TOBA, M. See Tang, T-S.
TOLSTOGUZOV, V.B. Thermoplastic extrusion—the mechanism of the formation of extrudate structure and properties, 417
TORO-VAZQUEZ, J.F., and A. Rocha-Uribe. Adsorption isotherms of sesame oil in a concentrated miscella system, 589
A.A. Castillo-M., and R. Hernández-C. A multiple-variable approach to study corn oil oxidation, 261
and R. Infante-Guerrero. Regressional models that describe oil absolute viscosity, 1115
TRANI, M., R. Lortie, and F. Ergan. Enzymatic synthesis of trierucin from high-erucic acid rapeseed oil, 961
TSUDA, T., T. Osawa, T. Nakayama, S. Kawakishi, and K. Ohshima. Antioxidant activity of pea bean (*Phaseolus vulgaris* L.) extract, 909
TSUTO, K. See Kimura, H.
TÜRKAY, S. See Özgül, S.
TURKULOV, J. See Bocevska, M.
TZIA, C. See Vekiari, S.A.

U

UCCIANI, E. See Chevolleau, S.
UCHIBORI, T. See Matsumura, S.
UENO, M. See Asano, H.

V

VALCÁRCEL, M. See García-Mesa, J.A.
VALENZUELA, A. See Nieto, S.
VAN DE VOORT, F.R. See Ismail, A.A.
VARAZINI, F. See Amelio, M.
VEKIARI, S.A., V. Oreopoulou, C. Tzia, and C.D. Thomopoulos. Oregano flavonoids as lipid antioxidants, 483
VENTULLO, R.M. See Larson, R.J.

VERGARA, R. See Cohen, L.
VIJAYALAKSHMI, P., and R. Subbarao. Hydrogenation of heptaldehyde to heptyl alcohol with nickel catalysts, 435
See Rao, B.V.S.K.
VIOQUE, E., See Vioque, J.
VIOQUE, J., J.E. Pastor, and E. Vioque. Fatty acid composition of seed oil triglycerides in *Coincya* (Brassicaceae), 1157
VOELKEL, A., J. Szymanowski, and W. Hreczuch. Polarity of broad and narrow distributed ethoxylates of fatty alcohols, 711

W

WAN, P.J. See Abraham, G.
WANG, C.W. See Goh, S.H.
WANG, G-W., X-G. Lei, and Y-C. Liu. Preparation and properties of cleavable dianionic surfactants with a 1,3-dioxane ring, 731
WANG, Y., and B.C. Saha. Purification and characterization of thermophilic and alkalophilic tributryin esterase from *Bacillus* strain A30-1 (ATCC 53841), 1135
WARD, O.P. See Li, Z-Y.
WARD, T.E. See Larson, R.J.
WARNER, K., and T.L. Mounts. Frying stability of soybean and canola oils with modified fatty acid compositions, 983
See List, G.R.
WATANABE, S., T. Fujita, M. Sakamoto, T. Kuramochi, and H. Kawahara. Characteristic properties of cutting fluid additives derived from the adducts of diamines and acid chlorides, 927
WEISLEDER, D. See Knothe, G.
See Neff, W.E.
WHITTLE, M.E. See Mokaya, R.
WILEY, V.A. See O'Keefe, S.F.
WILLIAMS, K.D. See Dobson, K.S.
WOLFF, R.L. Further studies on artificial geometrical isomers of α-linolenic acid in edible linolenic acid-containing oils, 219
Heat-induced geometrical isomerization of α-linolenic acid: Effect of temperature and heating time on the appearance of individual isomers, 425
WOOTTON, M. See Fabien, R.
WRIGHT, D. See O'Keefe, S.F.
WU, Z.G., C.N. Ji, and M.L. Shi. Synthesis of aromatic amino acids for antibacterial surfactants, 109

X

XU, Y.J. See deMan, L.

Y

YAMADA, H. See Jareonkitmongkol, S.
YAMAMURA, S. See Ono, D.
YAMANE, T., T. Suzuki, and T. Hoshino. Increasing n-3 polyunsaturated fatty acid content of fish oil by temperature control of lipase-catalyzed acidolysis, 1285
YATES, C.W. See Borchardt, J.K.
YATES, R.A., and J.D. Caldwell. Regeneration of oils used for deep frying: A comparison of active filter aids, 507
YEE, A.H. See Liew, K.Y.
YEN, G-C., and P-D. Duh. Antioxidative properties of methanolic extracts from peanut hulls, 383
YEONG, S.K. See Goh, S.H.
YOKOSUKA, M. See Murata, M.
YOSHIDA, H., G. Kajimoto, and S. Emura. Antioxidant effects of d-tocopherols at different concentrations in oils during microwave heating, 989
YOSHIKAWA, S. See Matsumura, S.
YUKAWA, N., H. Takamura, and T. Matoba. Determination of total carbonyl compounds in aqueous media, 881
YURAWECZ, M.P., A.A. Molina, M. Mossoba, and Y. Ku. Estimation of conjugated octadecatrienes in edible fats and oils, 1093

Z

ZAKI, A.M. See Masjuki, H.
ZEITOUN, M.A.M., W.E. Neff, G.R. List, and T.L. Mounts. Physical properties of interesterified fat blends, 467
ZHU, Z.H. See Rosen, M.J.
ZIEGLER, G.R., and Y-J. Liaw. Deodorization and deacidification of edible oils with dense carbon dioxide, 947